

## REFERENCES

- Abalis IM, Eldefrawi ME, & Eldefrawi AT (1985) High-affinity stereospecific binding of cyclodiene insecticides and  $\gamma$ -hexachlorocyclohexane to  $\gamma$ -aminobutyric acid receptors of rat brain. *Pestic Biochem Physiol*, **24**: 95-102.
- Abalis IM, Eldefrawi ME, & Eldefrawi AT (1986) Effects of insecticides on GABA-induced chloride influx into rat brain microsacs. *J Toxicol Environ Health*, **18**: 13-23.
- Abbott DC, Harrison RB, Tatton JO'G, & Thomson J (1966) Organochlorine pesticides in the atmosphere. *Nature*, **211**(5046): 259-261.
- Abbott DC, Goulding R, & Tatton JO'G (1968) Organochlorine pesticide residues in human fat in Great Britain. *Br Med J*, **iii**: 146-149.
- Abbott DC, Holmes DC, & Tatton JO'G (1969) Pesticide residues in the total diet in England and Wales, 1966-67. Organochlorine pesticide residues in the total diet. *J Sci Food Agric*, **20**(4): 245-259.
- Abbott DC, Collins GB, & Goulding R (1972) Organochlorine pesticide residues in human fat in United Kingdom. *Br Med J*, **ii**: 553-556.
- Abdel-Razik M, Marzouk MAH, Mowafy LE, & Abdel-Kader MA (1988) Pesticide residues in the River Nile water, Egypt. *Pak J Sci Ind Res*, **31**(11): 795-797.
- Abdou SM, Abdel-Gawaad AA, Abdel-Amam E, Abdel-Hady SM, & El-Alfy MB (1983) Organochlorine pesticide residues in buffaloes milk in Kalubia province and the effect of the presence of insecticides on coagulation time. *Egypt J Dairy Sci*, **11**: 197-203.
- Acker L & Schulte E (1974) [Chlorinated hydrocarbons in human fat.] *Naturwissenschaften*, **61**: 32 (in German).
- Albanis TA, Pomonis PJ, & Sdoukos AT (1986) Seasonal fluctuations of organochlorine and triazines pesticides in the aquatic system of Ioannina Basin (Greece). *Sci Total Environ*, **58**: 243-253.
- Albers PH, Sileo L, & Mulhern BM (1986) Effects of environmental contaminants on snapping turtles of a tidal wetland. *Arch Environ Contam Toxicol*, **15**: 39-49.
- Albert LA (1990) Environmental contamination in Mexican food. In: Hriagu JO & Simmons MS ed., *Food contamination from environmental sources*. New York, John Wiley and Sons, pp 542-577.

## References

---

- Albert L, Mendez F, Cebrian ME, & Portales A (1980) Organochlorine pesticide residues in human adipose tissue in Mexico. Results of a preliminary study in three Mexican cities. *Arch Environ Health*, **35**(5): 262–269.
- Albert LA, Vega P, & Nava E (1982) [Organochlorine pesticides. VI. Organochlorine pesticide residues in Mexican evaporated milks.] *Biotica*, **7**(3): 473–482 (in Spanish).
- Alford-Stevens AL, Eichelberger JW, & Budde WL (1988) Multi-laboratory study of automated determination of polychlorinated biphenyls and chlorinated pesticides in water, soil and sediment by gas chromatography/mass spectrometry. *Environ Sci Technol*, **22**: 304–312.
- Ali SL (1986) [Pesticide residues and traces of heavy metals in cod liver oil.] *Pharm Ztg*, **131**(38): 2288–2290 (in German).
- Al-Omar MA, Al-Ogaily NH, Tawfiq SJ, & Al-Bassoumy M (1985a) Residue levels of organochlorine insecticides in sewage plant effluent. *J Biol Sci Res*, **16**(1): 145–151.
- Al-Omar MA, Tameesh AH, & Al-Ogaily NH (1985b) Dairy product contamination with organochlorine insecticide residues in Bagdad district. *J Biol Sci Res*, **16**(1): 133–144.
- Altmeier G & Korte F (1969) [Contributions to ecological chemistry (XXIV). Metabolism of endrin-<sup>14</sup>C in perfused rats' livers.] *Tetrahedron Lett*, **49**: 4269–4271 (in German).
- Anderson A (1986) Monitoring and biased sampling of pesticide residues in fruits and vegetables. Methods and results, 1981-1984. *Var Foda*, **38**(Suppl. 1): 8–55.
- Anderson RL & Defoe DL (1980) Toxicity and bioaccumulation of endrin and methoxychlor in aquatic invertebrates and fish. *Environ Pollut (Ser A)*, **22**: 111–121.
- Anderson HH, Hine CH, Kodama JJ, & Critchlow JK (1953) Class B Determination on HI-1185 Endrin Emulsifiable Concentrate, San Francisco, University of California, School of Medicine (UC Report No. 213).
- Ang C, Meleady K, & Wallace L (1989) Pesticide residues in drinking water in the north coast region of New South Wales, Australia, 1986-87. *Bull Environ Contam Toxicol*, **42**: 595–602.
- Anon. (1964) Report on investigation of fish kills in Lower Mississippi River, Atchafalaya River and Gulf of Mexico. Washington, DC, US Department of Health, Education, and Welfare, Public Health Service, Division of Water Supply and Pollution Control.
- Anon (1979) Determination of residues of organochlorine pesticides in animal fats and eggs. Report of the committee for analytical methods for residues of pesticides and veterinary products in foodstuffs of the Ministry of Agriculture, Fisheries and Food. *Analyst*, **104**: 425–433.

Anon. (1984) Acute convulsions associated with endrin poisoning—Pakistan. *Morb Mortal Wkly Rep*, **33**(49): 687–695.

Anon. (1988a) Introduction—US Environmental Protection Agency Office of Drinking Water health advisories. *Rev Environ Contam Toxicol*, **104**: 1–8.

Anon. (1988b) Endrin. *Rev Environ Contam Toxicol*, **104**: 103–114.

Anon. (1989) Endrin poisoning associated with taquito ingestion, California. *Morb Mortal Wkly Rep*, **38**(19): 345–347.

Argyle RJ, Williams GC, & Dupree HK (1973) Endrin uptake and release by fingerling channel catfish (*Ictalurus punctatus*). *J Fish Res Board Canada*, **30**(11): 1743–1744.

Arthur RD, Cain JD, & Barrentine BF (1976) Atmospheric levels of pesticides in the Mississippi Delta. *Bull Environ Contam Toxicol*, **15**(2): 129–134.

Atkins EL, Greywood EA, & MacDonald RL (1973) Toxicity of pesticides and other agricultural chemicals to honey bees: Laboratory studies. Riverside, University of California, Department of Entomology (Rev. 9/73 (M-16)).

Atuma SS (1985) Accumulation of organochlorine insecticides in the blood of the general population of Nigeria. *Toxicol Environ Chem*, **10**: 77–82.

Baldwin MK & Hutson DH (1980) Analysis of human urine for a metabolite of endrin by chemical oxidation and gas-liquid chromatography as an indicator of exposure to endrin. *Analyst*, **105**: 60–65.

Baldwin MK, Robinson J, & Parke DV (1970) Metabolism of endrin in the rat. *J Agric Food Chem*, **18**(6): 1117–1123.

Baldwin MK, Davis RA, & Burns DT (1973) Structural studies and photochemical rearrangement of an animal metabolite of HEOD, the active component of dieldrin. *Pestic Sci*, **4**: 227–237.

Baldwin MK, Crayford JV, Hutson DH, & Street DL (1976) The metabolism and residues of <sup>14</sup>C-endrin in lactating cows and laying hens. *Pestic Sci*, **7**(6): 575–594.

Barcelo D & Puignou LG (1987) [Pesticide residue in Spanish U.H.T. milks determined by high resolution gas chromatography.] *Rev Agroquim Tecnol Aliment*, **27**(4): 583–589 (in Spanish).

Barnett RW, D'Ercole AJ, Cain JD, & Arthur RD (1979) Organochlorine pesticide residues in human milk samples from women living in northwest and northeast Mississippi, 1973-75. *Pestic Monit J*, **13**(2): 47–51.

Barth RAJ (1967) Pesticide toxicity in primates. Tulane, University of Louisiana, Division of Hygiene and Tropical Medicine (Thesis).

## References

---

- Barthel WF, Hawthorne JC, Ford JH, Bolton GC, McDowell LL, Grissinger EH, & Parsons DA (1969) Pesticide residues in sediments of the Lower Mississippi River and its tributaries. *Pestic Monit J*, **3**(1): 8–68.
- Batterton JC, Boush JC, & Matsumura F (1971) Growth response of blue-green algae to aldrin, dieldrin, endrin and their metabolites. *Bull Environ Contam Toxicol*, **6**(6): 589–594.
- Becker DM & Sieg CH (1987) Egg shell quality and organochlorine residues in eggs of merlins *Falco columbarius* in southeastern Montana. *Can Field-Nat*, **101**: 369–372.
- Bedford CT (1974) Von Bayer/IUPAC names and abbreviated chemical names of metabolites and artifacts of aldrin (HHDN), dieldrin (HEOD) and endrin. *Pestic Sci*, **5**: 473–489.
- Bedford CT & Harrod RK (1973) Synthesis of *anti*-12-hydroxyendrin and 12-ketoendrin, the two major mammalian metabolites of endrin. *Chemosphere*, **4**: 163–168.
- Bedford CT & Hutson DH (1976) The comparative metabolism in rodents of the isomeric insecticides dieldrin and endrin. *Chem Ind*, **1976**: 440–447.
- Bedford CT, Harrod RK, Hoadley EC, & Hutson DH (1975a) The metabolic fate of endrin in the rabbit. *Xenobiotica*, **5**(8): 485–500.
- Bedford CT, Hutson DH, & Natoff IL (1975b) The acute toxicity of endrin and its metabolites to rats. *Toxicol Appl Pharmacol*, **33**: 115–121.
- Bedford CT, Crane AE, & Harrod RK (1986a) Synthesis and confirmation of structure of four mammalian metabolites of dieldrin and endrin. *Pestic Sci*, **17**: 659–667.
- Bedford CT, Crane AE, Smith EH, & Wellard NK (1986b) Synthesis of endrin metabolites. Part 2: Total synthesis and confirmation of the structure of 3-hydroxyendrin. *Pestic Sci*, **17**: 33–47.
- Belisle AA, Reichel WL, Locke LN, Lamont TG, Mulhern BM, Prouty RM, DeWolf RB, & Cromartie E (1972) Residues in fish, wildlife and estuaries. *Pestic Monit J*, **6**: 133–138.
- Benes V & Sram R (1969) Mutagenic activity of some pesticides in *Drosophila melanogaster*. *Ind Med*, **38**(12): 442–444.
- Bennett RO & Wolke RE (1987a) The effect of sublethal endrin exposure on rainbow trout, *Salmo gairdneri* Richardson. I. Evaluation of serum cortisol concentrations and immune responsiveness. *J Fish Biol*, **31**(3): 375–385.
- Bennett RO & Wolke RE (1987b) The effect of sub-lethal endrin exposure on rainbow trout, *Salmo gairdneri* Richardson. II. The effect of altering serum cortisol concentrations on the immune response. *J Fish Biol*, **31**(3): 387–394.

- Benson WR (1969) Note on nomenclature of dieldrin and related compounds. *J Assoc Off Anal Chem*, **52**(5): 1109–1111.
- Beyerbach M, Buthe A, Heidmann WA, Dettmer R, & Knuwer H (1987) [Chlorinated hydrocarbons in eggs and livers of rooks (*Corvus frugilegus*) from rookeries in Lower Saxony (northern Germany).] *J Ornitol*, **128**(3): 277–290 (in German with English summary).
- Beyerbach M, Buthe A, Heidmann WA, Knuwer H, & Russel-Sinn HA (1988) [The burden of dieldrin and other chlorinated hydrocarbons on the lapwing (*Vanellus vanellus*).] *J Ornitol*, **129**(3): 353–361 (in German).
- Bhowmik G (1978) Pretreating properties of endrin on plant chromosomes. Letter to the Editor. *Curr Sci*, **47**(15): 546–547.
- Bianchi A, Tateo F, Nava C, Tateo S, Santamaria L, Berte F, & Santagati G (1988) Presence of organophosphate and organochlorine pesticides in the milk of women. *Med Biol Environ*, **16**: 931–942.
- Biberhofer J & Stevens RJJ (1987) Organochlorine contaminants in ambient waters of Lake Ontario. Ottawa, Inland Water Directorate, Waters Quality Branch, pp. 1–11 (*Can Sci Ser* (87) V51.159).
- Biehl ML & Buck WB (1987) Chemical contaminants: their metabolism and their residues. *J Food Prot*, **50**(12): 1058–1073.
- Bloomquist JR & Soderlund DM (1985) Neurotoxic insecticides inhibit GABA-dependent chloride uptake by mouse brain vesicles. *Biochem Biophys Res Commun*, **133**(1): 37–43.
- Bloomquist JR, Adams PM, & Soderlund DM (1986) Inhibition of gamma-aminobutyric acid-stimulated chlorine flux in mouse brain vesicles by polychlorocycloalkane and pyrethroid insecticides. *Neurotoxicology*, **7**(3): 11–20.
- Blus LJ (1978) Short-tailed shrews: toxicity and residue relationship of DDT, dieldrin and endrin. *Arch Environ Contam Toxicol*, **7**: 83–98.
- Blus LJ, Joanen T, Belisle AA, & Prouty RM (1975) The brown pelican and certain environmental pollutants in Louisiana. *Bull Environ Contam Toxicol*, **13**: 646–655.
- Blus L, Cromartie E, McNease L, & Joanen T (1979) Brown pelican: population status, reproductive success, and organochlorine residues in Louisiana, 1971-1976. *Bull. Environ Contam Toxicol*, **22**: 128–135.
- Blus LJ, Henny CJ, Kaiser TE, & Grove RA (1983) Effects on wildlife from use of endrin in Washington State orchards. In: Fox GA & Hall RJ ed. *Transactions of the 48th North American Wildlife Conference on Environmental Contaminants and Wildlife*. Washington, DC, Wildlife Management Institute, pp. 159–174.

## References

---

- Blus LJ, Henny CJ, & Grove RA (1989) Rise and fall of endrin usage in Washington State fruit orchards: effects on wildlife. *Environ Pollut*, **60**: 331–349.
- Boellstorff DE, Ohlendorf HM, Anderson DW, O'Neill EJ, Keith JO, & Prouty RM (1985) Organochlorine chemical residues in white pelicans and western grebes from the Klamath Basin, California. *Arch. Environ Contam Toxicol*, **14**: 485–493.
- Bollag JM & Henninger NM (1976) Influence of pesticides on denitrification in soil and with an isolated bacterium. *J Environ Qual*, **5**(1): 15–18.
- Bollen WB & Tu CM (1971) Influence of endrin on soil microbial populations and their activity. Washington, DC, US Department of Agriculture, Forest Service, pp 1–4 (Research Paper PNW 114).
- Bonner JC & Yarbrough JD (1989) Role of the brain t-butyl-bicyclophosphorothionate receptor in vertebrate resistance to endrin, 1,1,1-trichloro-2,2-bis(p-chlorophenyl)ethane and cypermethrin. *J Pharmacol Exp Ther*, **249**(1): 149–154.
- Borady AMA, Mikhail TH, Awadailah R, Ibrahim KA, & Kamar GAR (1983) Effect of some insecticides on fat metabolism and blood enzymes in rats. *Egypt J Anim Prod*, **23**(1–2): 33–44.
- Boyd EM & Stefec J (1969) Dietary protein and pesticide toxicity with particular reference to endrin. *Can Med Assoc J*, **101**: 335–339.
- Braun F (1985) [PCN and chlorine-based pesticides in some Bavarian rivers.]. *Munch. Beitr. Abwasser Fisch Flussbiol*, **39**: 115–124 (in German).
- Breidenbach AW, Gunnerson CG, Kawahara FK, Lichtenberg JJ, & Green RS (1967) Chlorinated hydrocarbon pesticides in major river basins, 1957–65. *Public Health Rep*, **82**(2): 139–156.
- Brodthmann NV, Jr (1976) Continuous analysis of chlorinated hydrocarbon pesticides in the Lower Mississippi River. *Bull Environ Contam Toxicol*, **15**(1): 33–39.
- Brooks GT (1969) The metabolism of diene-organochlorine (cyclodiene) insecticides. *Residue Rev*, **27**: 81–138.
- Brooks GT (1974) Chlorinated insecticides, technology and application. Cleveland, Ohio, CRC Press, vol. 1, pp 85–99 & vol 2, pp 94–97.
- Brooks TM (1976) Mutagenicity studies with endrin in the host-mediated assay. Unpublished report No. TLGR.0112.76, Sittingbourne, Kent, Shell Research, submitted to WHO by Shell.

- Bunck CM, Prouty RM, & Krynitsky AJ (1987) Residues of organochlorine pesticides and polychlorobiphenyls in starlings (*Sturnus vulgaris*), from the continental United States, 1982. *Environ Monit Assess*, **8**: 59–75.
- Burton WB & Pollard GE (1974) Rate of photochemical isomerization of endrin in sunlight. *Bull Environ Contam Toxicol*, **12**(1): 113–116.
- Butler PA (1963) Commercial fisheries investigations. Washington DC, US Department of the Interior, Fish and Wildlife Service, pp 11–25 (Circular No. 167).
- Butler PA (1973) Organochlorine residues in estuarine mollusks, 1965–1972. *Pestic Monit J*, **6**(4): 238–362.
- Cabral JRP, Raitano F, Mollner T, Bronczyk S, & Shubik P (1979) Acute toxicity of pesticides in hamsters. Abstract: Eighteenth Annual Meeting No. 384. *Toxicol Appl Pharmacol*, **48**: A192.
- Caceres O, Tundisi JG, & Castellan OAM (1987) Residues of organochloric pesticides in reservoirs in Sao Paulo State. *Cienc Cult*, **39**(3): 259–264.
- Camanzo J, Rice CP, Jude DJ, & Rossmann R (1987) Organic priority pollutants in near-shore fish from 14 Lake Michigan tributaries and embayments, 1983. *J Great Lakes Res*, **13**(3): 296–309.
- Cantoni C, Fabbris F, Rogledi R, & Campagnari A (1988) [Organochlorine pesticides in foods of animal origin found during the 1985–1987 biennium.] *Ind Aliment*, **27**(1): 6–8 (in Italian).
- Carey AE & Kutz FW (1985) Trends in ambient concentrations of agrochemicals in humans and the environment of the United States. *Environ Monit Assess*, **5**(2): 155–163.
- Carey AE, Gowen JA, Tai H, Mitchell WG, & Wiersma GB (1978) Pesticide residue levels in soils and crops, 1971—national soils monitoring program (III). *Pestic Monit J*, **12**(3): 117–136.
- Carline RF & Lawal MV (1985) Contaminants and bilateral asymmetry in yellow perch. *Environ Toxicol Chem*, **4**: 543–547.
- Carrero I, Fernandez-Moreno MD, Perez-Albarsanz MA, & Prieto JC (1989) Lindane effect upon the vasoactive intestinal peptide receptor/effector system in rat enterocytes. *Biochem Biophys Res Commun*, **159**(3): 1391–1396.
- Carter BI & Simpson BJE (1978) Toxicity of insecticides: The acute oral and percutaneous toxicities of two endrin bleed samples and of technical endrin in Shellsol A and in toluene. Unpublished report No. TLTR.0001.78, Sittingbourne, Kent, Shell Research, submitted to WHO by Shell.

## References

---

- Casper VL (1967) Galveston Bay pesticide study—water and oyster samples analyzed for pesticide residues following mosquito control program. *Pestic Monit J*, **1**(3): 13–15.
- Casteel SW & Cook WO (1985) Endrin toxicosis in a cat. *J Am Vet Med Assoc*, **186**(9): 988–989.
- Castonguay M, Dutil J-D, & Desjardins C (1989) Distinction between American eels (*Anguilla rostrata*) of different geographical origins on the basis of their organochlorine contaminant levels. *Can J Fish Aquat Sci*, **46**: 836–843.
- Celeste M de F & Caceres O (1987) [Chlorinated pesticide residues in waters of Ribeirão do Lobo (Broa) reservoir and its tributaries.] *Cienc Cult*, **39**(1): 66–70 (in Portuguese with English summary).
- Cetinkaya M (1988) [Organochloro-pesticide residues in tobacco from European cigarette brands.] *Chem Mikrobiol Technol Lebensm*, **11**: 100–103 (in German with English summary).
- Cetinkaya M & Schenek A (1987) [Investigation of organochloro-pesticide residues in various raw cotton samples.] *Chem Mikrobiol Technol, Lebensm*, **10**: 150–153 (in German with English summary).
- Chau ASY (1974) Confirmation of pesticide residues identity. VII. Solid matrix derivation procedure for the simultaneous confirmation of heptachlor and endrin residues in the presence of large quantities of polychlorinated biphenyls. *J Assoc Off Anal Chem*, **57**(3): 585–591.
- Chau ASY & Cochrane WP (1969) Cyclodiene chemistry. III. Derivative formation for the identification of heptachlor, heptachlorepoide, cis-chlordane, trans-chlordane, dieldrin and endrin pesticide residues by gaschromatography. *J Assoc Off Anal Chem*, **52**: 1220–1226.
- Chau ASY & Cochrane WP (1971) Chromous chloride reductions. VI. Derivative formation for the simultaneous identification of heptachlor and endrin pesticide residues by gas chromatography. *J Assoc Off Anal Chem*, **54**(5): 1124–1131.
- Chernoff N, Kavlock RJ, Hanisch RC, Whitehouse DA, Gray JA, Gray LE Jr, & Sovocool GW (1979) Perinatal toxicity of endrin in rodents. I. Fetotoxic effects of prenatal exposure in hamsters. *Toxicology*, **13**: 155–165.
- Clark DR Jr & Krynsky A (1978) Organochlorine residues and reproduction in the little brown bat, Laurel, Maryland—June 1976. *Pestic. Monit J*, **12**(3): 113–116.
- Clark DR Jr, Laval RK, & Krynsky AJ (1980) Dieldrin and heptachlor residues in dead gray bats, Franklin County, Missouri—1976 versus 1977. *Pestic Monit J*, **13**(4): 137–140.

Clawson RL & Clark DR (1989) Pesticide contamination of endangered gray bats and their food base in Boone County, Missouri, 1982. *Bull Environ Contam Toxicol*, **42**: 431-437.

Coble Y, Hildebrandt P, Davis J, Raasch F, & Curley A (1967) Acute endrin poisoning. *J Am Med Assoc*, **202**: 489-493.

Cole LM & Casida JE (1986) Polychlorocycloalkane insecticide-induced convulsions in mice in relation to disruption of the GABA-regulated chloride ionophore. *Life Sci*, **39**: 1855-1862.

Cole JF, Klevay LM, & Zavon MR (1970) Endrin and dieldrin: a comparison of hepatic excretion in the rat. *Toxicol Appl Pharmacol*, **16**: 547-555.

Coleman RL (1968) Endrin induced alterations in bound carbohydrates in rat serum. *Bull Environ Contam Toxicol*, **3**(6): 348-353.

Coleman RL, Lawrence CH, & Sowell WL (1968) Trace metal alterations following subacute exposure to endrin. *Bull. Environ Contam Toxicol*, **3**(5): 284-295.

Cook WO & Casteel SW (1985) A suspected case of endrin toxicosis in a cat. *Vet Hum Toxicol*, **27**(2): 111.

Corneliussen PE (1969) Pesticide residues in total diet samples (IV). *Pestic Monit J*, **2**(4): 140-152.

Corneliussen PE (1970) Pesticide residues in total diet samples (V). *Pestic Monit J*, **4**(3): 89-105.

Corneliussen PE (1972) Pesticide residues in total diet samples (VI). *Pestic Monit J*, **5**(4): 313-330.

Cote MG, Plaa GL, Valli VE, & Villeneuve DC (1985) Subchronic effects of a mixture of 'persistent' chemicals found in the Great Lakes. *Bull Environ Contam Toxicol*, **34**: 285-290.

Crockett AB, Wiersma GB, Tai H, & Mitchell W (1975) Pesticide and mercury residues in commercially grown catfish. *Pestic Monit J*, **8**(4): 235-240.

Cromartie E, Reichel WL, Locke LN, Belisle AA, Kaiser TE, Lamont TG, Mulhern BM, Prouty RM, & Swineford DM (1975) Residues of organochlorine pesticides and polychlorinated biphenyls and autopsy data for bald eagles, 1971-72. *Pestic Monit J*, **9**(1): 11-14.

Cueto C Jr & Biros FJ (1967) Chlorinated insecticides and related materials in human urine. *Toxicol Appl Pharmacol*, **10**: 261-269.

Cueto C Jr & Hayes WJ Jr (1962) The detection of dieldrin metabolites in human urine. *Agric Food Chem*, **10**(5): 366-369.

## References

---

- Cummings JG (1965) Pesticide residues in the total diet samples. *J Assoc Off Anal Chem*, **48**(6): 1177-1180.
- Cummings JG (1966) Pesticides in the total diet. *Residue Rev*, **16**: 30-45.
- Curley A, Jennings RW, Mann HT, & Sedlak V (1970) Measurement of endrin following epidemics of poisoning. *Bull Environ Contam Toxicol*, **5**(1): 24-29.
- Currie RA, Kadis VW, Breitzkreitz WE, Cunnigham GB, & Bruns GW (1979) Pesticide residues in human milk, Alberta, Canada—1966-70, 1977-78. *Pestic Monit J*, **13**(2): 52-55.
- Dale WE, Copeland F, & Hayes WJ Jr (1965) Chlorinated insecticides in the body fat of people in India. *Bull World Health Organ*, **33**: 471-477.
- Datta SK & Ghose KC (1985) Toxic effect of endrin on the hepatopancreas of a teleost, *Cyprinus carpio*. *Indian Biol*, **17**(1): 37-41.
- Davies K (1988) Concentrations and dietary intake of selected organochlorines, including PCBs, PCDDs and PCDFs in fresh food composites grown in Ontario, Canada. *Chemosphere*, **17**(2): 263-276.
- Davis GM & Lewis I (1956) Outbreak of food poisoning from bread made of chemically contaminated flour. *Br Med J*, **ii**: 393-398.
- Davis HC & Hidu H (1969) Effects of pesticides on embryonic development of clams and oysters and on survival and growth of the larvae. *Fish Bull*, **67**(2): 393-404.
- Dean BJ (1977) Chromosome studies on workers employed in an endrin manufacturing plant. Unpublished report No. TLGR.0008.77, Sittingbourne, Kent, Shell Research, submitted to WHO by Shell.
- De Boer J (1989) Organochlorine compounds and bromodiphenylethers in livers of Atlantic cod (*Gadus morhua*) from the North Sea, 1977-1987. *Chemosphere*, **18**(11/12): 2131-2140.
- De Campos M & Olszyna-Marzys AE (1979) Contamination of human milk with chlorinated pesticides in Guatemala and El Salvador. *Arch Environ Contam Toxicol*, **8**: 43-58.
- Deichmann WB & MacDonald WE (1971) Organochlorine pesticides and human health. *Food Cosmet Toxicol*, **9**(1): 91-103.
- Deichmann WB, MacDonald WE, Blum E, Bevilacqua M, Radomski J, Keplinger M, & Balkus M (1970a) Tumorigenicity of aldrin, dieldrin and endrin in the albino rat. *Ind Med*, **39**(10): 426-434.

Deichmann WB, MacDonald WE, Radomski J, Blum E, Bevilacqua M, & Keplinger M (1970b) The tumorigenicity of aldrin, dieldrin, and endrin in the albino rat. *Ind Med*, **39**(7): 314.

Denison MS & Yarbrough JD (1985) Binding of insecticides to serum proteins in mosquitofish (*Gambusia affinis*). *Comp Biochem Physiol*, **81C**(1): 105-107.

Denison MS, Chambers JE, & Yarbrough JD (1985) Short-term interactions between DDT and endrin accumulation and elimination in mosquitofish (*Gambusia affinis*). *Arch Environ Contam Toxicol*, **14**: 315-320.

De Paula Carvalho JP, Niskikawa AM, Aranha S, & Fay EF (1984) [Organochlorine pesticide residues in bovine fat.] *Biol Sao Paulo*, **50**(2): 39-48 (in Portuguese).

Devault DS (1985) Contaminants in fish from Great Lakes harbors and tributary mouths. *Arch Environ Contam Toxicol*, **14**: 587-594.

Devault DS, Clark JM, & Lahvis G (1988) Contaminants and trends in fall run coho salmon. *J Great Lakes Res*, **14**(1): 23-33.

De Vos RH, van Dokkum W, Olthof PDA, Quiryns JK, Muys T, & van der Poll JM (1984) Pesticides and other chemical residues in Dutch total diet samples (June 1976-July 1978). *Food Chem Toxicol* **22**(1): 11-21.

Deweese LR, Cohen RR, & Stafford CJ (1985) Organochlorine residues and egg shell measurements for tree swallows *Tachycineta bicolor* in Colorado. *Bull Environ Contam Toxicol*, **35**: 767-775.

Dewitt JB (1965) Chronic toxicity to quail and pheasants of some chlorinated insecticides. *J Agric Food Chem*, **4**(10): 863-866.

Dikshith TSS & Datta KK (1973) Endrin-induced cytological changes in albino rats. *Bull Environ Contam Toxicol*, **9**(2): 65-69.

Dikshith TSS, Kumar SN, Raizada RB, & Srivastava MK (1989a) Organochlorine insecticide residues in cattle feed. *Bull Environ Contam Toxicol*, **43**: 691-696.

Dikshith TSS, Kumar SN, Tandon GS, Raizada RB, & Ray PK (1989b) Pesticide residues in edible oils and oil seeds. *Bull Environ Contam Toxicol*, **42**: 50-56.

Dinnel PA, Link JM, Stober QJ, Letourneau MW, & Roberts WE (1989) Comparative sensitivity of sea urchin sperm bioassays to metals and pesticides. *Arch Environ Contam Toxicol*, **18**: 748-755.

Ditraglia D, Brown DP, Namekata T, & Iverson N (1981) Mortality study of workers employed at organochlorine pesticide manufacturing plants. *Scand J Work Environ Health*, **7**(suppl 4): 140-146.

## References

---

- Donahue JF, Burse VW, Head SL, & Andrews JS (1988) Comparison of two techniques for quantifying environmental contaminants in human serum. *Life Sci*, **43**: 2257–2264.
- Donoso J, Dorigan J, Fuller B, Gordon J, Kornreich M, Saari S, Thomas L, & Walker P (1979) Reviews of the environmental effects of pollutants. XIII. Endrin. Oak Ridge, Tennessee, Oak Ridge National Laboratory (EPA-600/1-79-005).
- DouAbul AAZ, Al-Saad HT, Al-Obaidy SZ, & Al-Rekabi HN (1987a) Residues of organochlorine pesticides in fish from the Arabian Gulf. *Water Air Soil Pollut*, **35**: 187–194.
- DouAbul AAZ, Al-Saad HT, & Al-Rekabi HN (1987b) Residues of organochlorine pesticides in environmental samples from the Shatt al-Arab River, Iraq. *Environ Pollut*, **43**: 175–187.
- DouAbul AAZ, Al-Omar M, Al-Obaidy S, & Al-Ogaily N (1987c) Organochlorine pesticide residues in fish from the Shatt al-Arab River, Iraq. *Bull Environ Contam Toxicol*, **38**: 674–680.
- DouAbul AAZ, Al-Saad HT, Al-Timari AA, & Al-Rekabi HN (1988) Tigris-Euphrates delta: a major source of pesticides to the Shatt al-Arab River (Iraq). *Arch Environ Contam Toxicol*, **17**: 405–418.
- Dowd PF, Mayfield GU, Coulon DP, Graves JB, & Newsom JD (1985) Organochlorine residues in animals from three Louisiana watersheds in 1978 and 1979. *Bull Environ Contam Toxicol*, **34**: 832–841.
- Duggan RE & Corneliussen PE (1972) Dietary intake of pesticide chemicals in the United States (III), June 1968-1970. *Pestic Monit J*, **5**(4): 331–341.
- Duggan RE & Lipscomb GQ (1969) Dietary intake of pesticide chemicals in the United States (II), June 1966-April 1968. *Pestic Monit J*, **2**(4): 153–162.
- Duggan RE, Barry HC, & Johnson LY (1966) Pesticide residues in total diet samples. *Science*, **151**: 101–104.
- Duggan RE, Barry HC, & Johnson LY (1967) Pesticide residues in total diet samples (II). *Pestic Monit J*, **1**(2): 2–12.
- Duke TW & Dumas DP (1974) Implications of pesticide residues in the coastal environment. In: Vernberg FJ & Vernberg WB, ed. *Pollution and physiology of marine organisms*. New York, Academic Press, pp 137–164.
- Dureja P, Walia S, & Mukerjee SK (1987) New photometabolites of endrin. *Indian J Chem*, **26G**: 898–899.
- Durham WF & Wolfe HR (1962) Measurement of the exposure of workers to pesticides. *Bull World Health Organ*, **26**: 75–91.

- Dutch Agricultural Advisory Commission on Environmental Pollutants (1983) Annual report. The Hague, Ministry of Agriculture, Management of Nature and Fisheries.
- Earnest RD & Benville PE Jr (1972) Acute toxicity of four organochlorine insecticides to two species of surf perch. *California Fish Game*, **58**(2): 127-132.
- Egan H, Goulding R, Roburn J, & Tatton JO'G (1965) Organochlorine pesticide residues in human fat and human milk. *Br Med J*, **ii**: 66.
- Eisenberg M & Topping JJ (1985) Organochlorine residues in finfish from Maryland waters 1976-1980. *J Environ Sci Health* **B20**(6): 729-742.
- Eisler R (1970a) Latent effects of insecticide intoxication to marine molluscs. *Hydrobiologia*, **36**(3-4): 345-352.
- Eisler R (1970b) Acute toxicities of organochlorine and organophosphorus insecticides to estuarine fish. *Tech Paper Bur Sport Fish Wildl*, **46**: 1-12.
- El-Dib MA & Badawy MI (1985) Organochlorine insecticides and PCB's in river Nile water, Egypt. *Bull Environ Contam Toxicol*, **34**: 126-133.
- Ellis DH, Deweese LR, Grubb TG, Kiff LF, Smith DG, Jarman WM, & Peakall DB (1989) Pesticide residues in Arizona peregrine falcon eggs and prey. *Bull Environ Contam Toxicol*, **42**: 57-64.
- Elnabarawy MT, Welter AN, & Robideau RR (1986) Relative sensitivity of three daphnid species to selected organic and inorganic chemicals. *Environ Toxicol Chem*, **5**: 393-398.
- El-Nabawi A, Heinzow B, & Kruse H (1987) Residue levels of organochlorine chemicals and polychlorinated biphenyls in fish from the Alexandria Region, Egypt. *Arch Environ Contam Toxicol*, **16**: 689-696.
- El-Sebae AH (1987) Acute and chronic toxicity to marine biota of widely used dispersants, PCBs, chlorinated pesticides and their combinations and their biomagnification in Alexandria region. In: *Research on the toxicity, persistence, bioaccumulation, carcinogenicity and mutagenicity of selected substances (Activity G). Final reports on projects dealing with toxicity (1983-1985)*. Athens, United Nations Environment Programme (Mediterranean Action Plan (MAP), Technical Reports Series No. 10).
- Ely RE, Moore LA, Carter RH, & App BA (1957) Excretion of endrin in the milk of cows fed endrin-sprayed alfalfa and technical endrin. *J Econ Entomol*, **50**(3): 348-349.
- Emerson TE Jr (1965) Mechanisms of hemoconcentration in the dog during acute endrin insecticide poisoning. *Can J Physiol Pharmacol*, **43**: 793-800.
- Emerson TE Jr & Hinshaw LB (1965) Peripheral vascular effects of the insecticide endrin. *Can J Physiol Pharmacol*, **43**: 531-539.

## References

---

- Emerson TE Jr, Brake CM, & Hinshaw LB (1963) Mechanism of Action of the Insecticide Endrin. Oklahoma City, Oklahoma, Civil Aeromedical Research Institute (Report No. 63-16).
- Emerson TE Jr, Brake CM, & Hinshaw LB (1964) Cardiovascular effects of the insecticide endrin. *Can J Physiol Pharmacol*, **42**: 41-51.
- Engst R & Knoll R (1973) [On the contamination of surface, rain and drinking waters with chlorinated hydrocarbons.] *Nahrung*, **17**(8): 837-851 (in German with English summary).
- Epstein SS, Arnold E, Andrea J, Bass W, & Bishop Y (1972) Detection of chemical mutagens by the dominant lethal assay in the mouse. *Toxicol Appl Pharmacol*, **23**: 288-325.
- Ercegovich CD & Rashid KA (1977) Mutagenesis induced in mutant strains of *Salmonella typhimurium* by pesticides. In: Abstracts of the 174th ACS National Meeting, Chicago, Illinois. Washington, DC, American Chemical Society, Division of Pesticide Chemistry (Abstract No. 43).
- Everaarts JM, Koeman JH, & Brader, L (1971) Contribution à l'étude des effets sur quelques éléments de la faune sauvage des insecticides organo-chlorés utilisés au Tchad en culture cotonnière. *Cotton Fibre Trop*, **26**(4): 385-394.
- Fabacher DL & Chambers H (1976) Uptake and storage of <sup>14</sup>C-labelled endrin by the livers and brains of pesticide-susceptible and resistant mosquitofish. *Bull Environ Contam Toxicol*, **16**(2): 203-207.
- Fahrig R (1974) Comparative mutagenicity studies with pesticides. In: Montesano R & Tomatis L ed. Chemical carcinogenesis essays. Lyon, International Agency for Research on Cancer, pp 161-181 (IARC Scientific Publications No. 10).
- FAO (1982) Second Government Consultation on International Harmonization of Pesticide Registration Requirements, Rome, 11-15 October 1982. Rome, Food and Agriculture Organization of the United Nations.
- FAO/WHO (1964) Evaluation of the toxicity of pesticide residues in food. Report of a joint meeting of the FAO Committee on Pesticides in Agriculture and the WHO Expert Committee on Pesticide Residues, Geneva, World Health Organization (FAO Meeting Report No. PL:1963/13; WHO/Food Add./23).
- FAO/WHO (1965) Evaluation of the toxicity of pesticide residues in food. Geneva, World Health Organization (FAO Meeting Report No. PL:1965/10/1; WHO/Food Add./27.65).
- FAO/WHO (1971) Joint meeting of FAO Working Party of Experts and the WHO Expert Group on Pesticide Residues. 1970 Evaluation of some pesticide residues in food. Geneva, World Health Organization (AGP:1979/M/12/1; WHO Food Add./71.42).

FAO/WHO (1984) Codex guidelines on good practice in pesticide residue analysis. Rome, Codex Alimentarius Commission, Food and Agriculture Organization of the United Nations (CAC/PR7-1984).

FAO/WHO (1986a) Recommendations for methods of analysis of pesticide residues. Rome, Codex Alimentarius Commission, Food and Agriculture Organization of the United Nations (CAC/PR8-1986).

FAO/WHO (1986b) Codex maximum limits for pesticide residues. Rome, Codex Alimentarius Commission, Joint FAO/WHO Food Standards Programme, Food and Agriculture Organization of the United Nations, p 33-IV (FAO CAC Vol. XIII, ed. 2).

Fasola M, Vecchio I, Caccialanza G, Gandini C, & Kitsos M (1987) Trends of organochlorine residues in eggs of birds from Italy, 1977 to 1985. *Environ Pollut*, **48**: 25-36.

FDA (1988) Food and Drug Administration pesticide program. Residues in foods—1987. *J Assoc Off Anal Chem*, **71**(6): 156A-174A.

Ferguson DE, Culley DD, & Cotton WD (1964) Resistance to chlorinated hydrocarbon insecticides in three species of freshwater fish. *Bioscience*, **14**: 43-44.

Flickinger EL & King KA (1972) Some effects of aldrin-treated rice on Gulf Coast wildlife. *J Wildl Manage*, **36**: 706-727.

Flickinger EL, Mitchell CA, & Krynitsky AJ (1986) Dieldrin and endrin residues in fulvous whistling ducks in Texas in 1983. *J. Field Ornithol*, **57**(2): 85-192.

Folmar LC (1978) *In vitro* inhibition of rat brain ATPase, pNPPase, and ATP-<sup>32</sup>Pi exchange by chlorinated-diphenyl ethanes and cyclodiene insecticides. *Bull Environ Contam Toxicol*, **19**: 481-488.

Foschi F, Natali G, Guberti MG, Camisani MG, Taccheto Barbina M, Spessotto C, & Bargarolo L (1985) [Study on residues of agricultural chemicals in apples.] *Inf Fitopatol*, **12**: 14-20 (in Italian).

Fournier E, Treich I, Campagne L, & Capelle N (1972) Pesticides organo-chlorés dans le tissu adipeux d'êtres humains en France. *Eur J Toxicol*, **1**(1): 11-26.

Fox ME, Roper DS, & Thrush SF (1988) Organochlorine contaminants in surficial sediments of Manukau Harbour, New Zealand. *Mar Pollut Bull*, **19**(7): 333-336.

Frank R, Braun HE, Holdrinet M, Sirons GJ, Smith EH, & Dixon DW (1979) Organochlorine insecticides and industrial pollutants in the milk supply of Southern Ontario, Canada—1977. *J Food Prot*, **42**(1): 31-37.

## References

---

- Frank R, Braun HE, & Holdrinet MVH (1981) Residues from past uses of organochlorine pesticides and PCB in waters draining eleven agricultural watersheds in Southern Ontario, Canada, 1975-1977. *Sci Total Environ*, **20**: 255-276.
- Frank R, Braun HE, Sirons GH, Rasper J, & Ward GG (1985) Organochlorine and organophosphorus insecticides and industrial pollutants in the milk supplies of Ontario—1983. *J Food Prot*, **48**(6): 499-504.
- Fredrickson DS (1978) Report on bioassay of endrin for possible carcinogenicity. *Fed Reg*, **43**(225): 54298.
- Gaines TB (1960) The acute toxicity of pesticides to rats. *Toxicol Appl Pharmacol*, **2**: 88-99.
- Gaines TB (1969) Acute toxicity of pesticides. *Toxicol Appl Pharmacol*, **14**: 515-534.
- Galassi S & Provini A (1981) Chlorinated pesticides and PCBs contents of the two main tributaries into the Adriatic Sea. *Sci Total Environ*, **17**: 51-57.
- Gant DB, Eldefrawi ME, & Eldefrawi AT (1987) Cyclodiene insecticides inhibit GABA<sub>A</sub> receptor-regulated chloride transport. *Toxicol Appl Pharmacol*, **88**(3): 313-321.
- Garrett NE, Stack HF, & Waters MD (1986) Evaluation of the genetic activity profiles of 65 pesticides. *Mutat Res*, **168**(3): 301-325.
- Gartrell MJ, Craun JC, Podrebarac DS, & Gunderson EL (1986a) Pesticides, selected elements, and other chemicals in adult total diet samples October 1980-March 1982. *J Assoc Off Anal Chem*, **69**(1): 146-161.
- Gartrell MJ, Craun JC, Podrebarac DS, & Gunderson EL (1986b) Pesticides, selected elements, and other chemicals in infant and toddler total diet samples, October 1980-March 1982. *J Assoc Off Anal Chem*, **69**(1): 123-145.
- Giesy JP, Mewsted J, & Garling DL (1986) Relationships between chlorinated hydrocarbon concentrations and rearing mortality of chinook salmon (*Onchorhynchus tshawytscha*) eggs from Lake Michigan. *J Great Lakes Res*, **12**(1): 82-98.
- Gips T (1987) Breaking the pesticide habit—Alternatives to 12 hazardous pesticides (International Alliance for Sustainable Agriculture (IASA) Publication No. 1987-2).
- Glatt H, Jung R, & Oesch F (1983) Bacterial mutagenicity investigation of epoxides: drugs, drug metabolites, steroids and pesticides. *Mutat Res*, **11**: 99-118.
- Glooschenko WA, Strachan WMJ, & Sampson RCJ (1976) Distribution of pesticides and polychlorinated biphenyls in water, sediments and seston of the Upper Great Lakes—1974. *Pestic Monit J*, **10**(2): 61-67.

Gluth G & Hanke W (1985) A comparison of physiological changes in carp, *Cyprinus carpio*, induced by several pollutants at sub-lethal concentrations. I. The dependency on exposure time. *Ecotoxicol Environ Saf*, **9**: 179-188.

Godsil PJ & Johnson WC (1968) Pesticide monitoring of the aquatic biota of the Tule Lake National Wildlife Refuge. *Pestic Monit J*, **1**(4): 21-26.

Goerlitz DF & Law LM (1974) Determination of chlorinated insecticides in suspended sediment and bottom material. *J Assoc Off Anal Chem*, **57**(1): 176-181.

Goldentahl EI (1978a) Teratology study in rats. Unpublished report No. 163-488, International Research and Development Corporation, submitted to WHO by Shell.

Goldentahl EI (1978b) Teratology study in hamsters. Unpublished report No. 163-478, International Research and Development Corporation, submitted to WHO by Shell.

Good EE & Ware GW (1969) Effects of insecticides on reproduction in the laboratory mouse. *Toxicol Appl Pharmacol*, **14**: 201-203.

Graves JB & Bradley JR (1965) Response of Swiss albino mice to intraperitoneal injection of endrin. *J Econ Entomol*, **58**(1): 178-179.

Gray LE Jr, Kavlock RJ, Chernoff N, Gray JA, & McLamb J (1981) Perinatal toxicity of endrin in rodents. III. Alterations of behavioural ontogeny. *Toxicology*, **21**: 187-202.

Green DR, Stull JK, & Heesen TC (1986) Determination of chlorinated hydrocarbons in coastal waters using a moored *in situ* sampler and transported live mussels. *Mar Pollut Bull*, **17**(7): 324-329.

Gregor DJ & Gummer WD (1989) Evidence of atmospheric transport and deposition of organochlorine pesticides and polychlorinated biphenyls in Canadian Arctic snow. *Environ Sci Technol*, **23**: 561-565.

Gübeli T & Clerc JT (1988) [Detection of pesticide residues in ethanol extracts of plants.] *Pharm Acta Helv*, **63**(3): 85-89 (in German).

Guicherit R & Schulting FL (1985) The occurrence of organic chemicals in the atmosphere of the Netherlands. *Sci Total Environ*, **43**: 193-219.

Gunderson EL (1988) FDA total diet study, April 1982-April 1984, dietary intakes of pesticides, selected elements and other chemicals. *J Assoc Off Anal Chem*, **71**(6): 1200-1209.

Hall RJ & Swineford D (1980) Toxic effects of endrin and toxaphene on the southern leopard frog *Rana sphenoccephala*. In: Mellanby, K. ed. *Environmental pollution*. Barking, Essex, Applied Science Publishing, pp 53-65.

## References

---

- Hall LW Jr, Hall WS, Bushong SJ, & Herman RL (1987) *In situ* striped bass (*Morone saxatilis*) contaminant and water quality studies in the Potomac River. *Aquat Toxicol*, **10**: 73–99.
- Hamdy Y & Post L (1985) Distribution of mercury, trace organics and other heavy metals in Detroit River sediments. *J Great Lakes Res*, **11**(3): 353–365.
- Hansen DJ, Schimmel SC, & Forester J (1977) Endrin: effects on the entire life cycle of a saltwater fish, *Cyprinodon variegatus*. *J Toxicol Environ Health*, **3**: 721–733.
- Harris CR, Sans WW, & Miles JRW (1966) Exploratory studies on the occurrence of organochlorine insecticides residues in agricultural soils in southwestern Ontario. *J Agric Food Chem*, **14**(4): 398–403.
- Hart LG & Fouts JR (1963) Effects of acute and chronic DDT administration in hepatic microsomal drug metabolism in the rat (28686). *Proc Soc Exp Biol Med*, **114**: 388–392.
- Hartgrove RW Jr, Hundley SG, & Webb RE (1977) Characterization of the hepatic mixed function oxidase system in endrin resistant and -susceptible pinevoles. *Pestic Biochem Physiol*, **7**(2): 146–153.
- Hashemy-Tonkabony SE & Mosstofian B (1979) Chlorinated pesticide residues in chicken egg. *Poult Sci* **58**(6): 1432–1434.
- Hashemy-Tonkabony SE & Soleimani-Amiri MJ (1976) Detection and determination of chlorinated pesticide residues in raw and various stages of processed vegetable oil. *J Am Oil Chem Soc*, **53**(12): 752–753.
- Hashimoto I & Nishiuchi S (1981) Establishment of bioassay methods for evaluation of acute toxicity of pesticides to aquatic organisms. *J Pestic Sci*, **6**: 257–264.
- Hassett AJ, Viljoen PT, & Liebenberg JJE (1987) An assessment of chlorinated pesticides in the major surface water resources of the Orange Free State during the period September 1984 to September 1985. *Water SA*, **13**(3): 133–136.
- Hawker DW & Connell DW (1986) Bioconcentration of lipophilic compounds by some aquatic organisms. *Ecotoxicol Environ Saf*, **11**: 184–197.
- Hawthorne JC, Ford JH, & Markin GP (1974) Residues of mirex and other chlorinated pesticides in commercially raised catfish. *Bull Environ Contam Toxicol*, **11**(3): 258–264.
- Hayes WJ Jr (1963) *Clinical handbook on economic poisons. Emergency information for treating poisoning.* Atlanta, Georgia, US Department of Health, Education, and Welfare, Communicable Disease Center, Toxicology Section, pp 68–70.
- Hayes WJ Jr (1975) *Toxicology of pesticides*, Baltimore, Maryland, Williams & Wilkins, pp 288–294.

- Hayes WJ Jr (1982) Pesticides studied in man, Baltimore, Maryland, Williams and Wilkins, pp 247–251.
- Hayes WJ Jr & Curley A (1968) Storage and excretion of dieldrin and related compounds. Effect of occupational exposure. *Arch Environ Health*, **16**(2): 155–162.
- Hayes WJ Jr, Dale WE, & Burse VW (1965) Chlorinated hydrocarbon pesticides in the fat of people in New Orleans. *Life Sci*, **4**: 1611–1615.
- Heidmann WA, Büthe A, Beyerbach M, Löhmer R, & Rüssel-Sinn HA (1989) [Chlorinated hydrocarbons of some bird species breeding in the inland of Lower Saxony.] *J Ornitol*, **130**(3): 311–320 (in German with English summary).
- Heinz GH, Erdman TC, Haseltine SD, & Stafford C (1985) Contaminant levels in colonial waterbirds from Green Bay and Lake Michigan, 1975–80. *Environ Monit Assess*, **5**: 223–236.
- Henderson C, Johnson WL, & Inglis A (1969) Organochlorine insecticide residues in fish. National pesticides monitoring program. *Pestic Monit J*, **3**: 145–171.
- Henderson C, Inglis A, & Johnson WL (1971) Organochlorine insecticide residues in fish. Fall 1969, National Pesticide Monitoring Program. *Pestic Monit J*, **5**: 1–11.
- Hendrickson CM & Bowden JA (1976) *In vitro* inhibition of lactic acid dehydrogenase by insecticidal polychlorinated hydrocarbons. 2. Inhibition by dieldrin and related compounds. *J Agric Food Chem*, **24**(4): 756–759.
- Hendrickx A & Maes R (1969) The excretion of chlorinated hydrocarbon insecticides in human mother milk. *J Pharm Belg*, **24**(9–10): 459–463.
- Hermanutz R (1974) Quarterly report. Duluth, Minnesota, US Environmental Protection Agency, National Water Quality Laboratory.
- Hermanutz RO, Eaton JG, & Mueller LH (1985) Toxicity of endrin and malathion mixtures to flagfish (*Jordanella floridae*). *Arch Environ Contam Toxicol*, **14**: 307–314.
- Hernandez FH, Lopez Benet FJ, Escriche JM, & Ubeda JCB (1987) Sulfuric acid cleanup and KOH-ethanol treatment for confirmation of organochlorine pesticides and polychlorinated biphenyls: application to wastewater samples. *J Assoc Off Anal Chem*, **70**(4): 727–733.
- Herrera Marteache A, Polo Villar LM, Jodral Villarejo M, Polo Villar G, Mallol J, & Pozo Lora R (1978) [Organochlorine pesticide residues in human fat in Spain.] *Rev San Hig Publico*, **52**: 1125–1144 (in Spanish with English summary).
- Hill EF & Camardese MB (1986) Lethal dietary toxicities of environmental contaminants and pesticides to Coturnix. Washington, DC, US Department of the Interior, Fish and Wildlife Service, p 147 (Fish and Wildlife Technical Report No. 2).

## References

---

- Hill EF, Heath RG, Spann JW, & Williams JD (1975) Lethal dietary toxicities of environmental pollutants to birds. Washington, DC, US Department of the Interior, Fish and Wildlife Service (Special Scientific Report: Wildlife No. 191).
- Hill RH Jr, Needham LL, & Liddle JA (1986) The laboratory's role in environmental health emergency investigations. *Clin Toxicol*, **24**(5): 363-374.
- Hine CH (1965) Results of reproduction study of rats fed diets containing endrin insecticide over three generations. Unpublished report No. 2, San Francisco, CA, Hine Laboratories, submitted to WHO by Shell.
- Hine CH (1968) Results of reproduction study of rats fed diets containing endrin insecticide over three generations. Unpublished report No. 7, San Francisco, CA, Hine Laboratories, submitted to WHO by Shell.
- Hine CH, Anderson HH, Kodama JK, & Gutenberg EF (1954) Class B evaluation of endrin compositions. Unpublished report No. 223, San Francisco, CA, University of California School of Medicine, submitted to WHO by Shell.
- Hinshaw LB, Solomon LA, Reins DA, Fiorica V, & Emerson TE (1966) Effects of the insecticide endrin on the cardiovascular system of the dog. *J Pharmacol Exp Ther*, **153**(2): 225-236.
- Hirrom PC, Millburn P, Smith RL, & Williams RT (1972) Species variations in the threshold molecular-weight factor for the biliary excretion of organic anions. *Biochem J*, **129**: 1071-1077.
- Hoffman WS, Fishbein WI, & Andelman MB (1964) The pesticide content of human fat tissue. *Arch Environ Health*, **9**: 387-394.
- Hoffman WS, Adler H, Fishbein WI, & Bauer FC (1967) Relation of pesticide concentration in fat to pathological changes in tissues. *Arch Environ Health*, **15**: 758-765.
- Hogmire HW, Weaver JE, & Brooks JL (1990) Survey for pesticides in wells associated with apple and peach orchards in West Virginia. *Bull Environ Contam Toxicol*, **44**: 81-86.
- Holden AV (1970) International cooperative study of organo-chlorine pesticide residues in terrestrial and aquatic wildlife, 1967/1968. *Pestic Monit J*, **4**(3): 117-135.
- Hoogendam I, Versteeg JPJ, & de Vlieger M (1962) Electroencephalograms in insecticide toxicity. *Arch Environ Health*, **4**: 86-94.
- Hoogendam I, Versteeg JPJ, & de Vlieger M (1965) Nine years toxicity control in insecticide plants. *Arch Environ Health*, **10**: 441-448.

- Horn H, Hartner L, & von Faber H (1987) [On the suitability of liver function tests in birds for the ecotoxicological evaluation of environmental chemicals.] *Dtsch Tierarztl Wochenschr*, **94**: 1–48 (in German with English summary).
- Horsfall F Jr, Webb RE, Price NO, & Young RW (1970) Residues in apples subsequent to ground sprays of endrin. *J Agric Food Chem*, **18**: 221–223.
- Hrdina PD, Singhal RL, & Peters DAV (1974) Changes in brain biogenic amines and body temperature after cyclodiene insecticides. *Toxicol Appl Pharmacol*, **29**(1): 119.
- Hrubec J (1988) [Pesticides and drinking-water.] *H<sub>2</sub>O*, **21**(11): 278–282 (in Dutch).
- Hudson RH, Tucker RK, & Haegele MA (1984) Handbook of toxicity of pesticides to wildlife. Washington, DC, US Department of the Interior, Fish and Wildlife Service (Resource Publication 153).
- Hunter CG, Robinson J, & Richardson A (1963) Chlorinated insecticide content of human body fat in southern England. *Br Med J*, **i**: 221–224.
- Hunter J, Maxwell JD, Carrella M, Stewart DW, & Williams R (1971) Urinary-D-glucaric acid excretion as a test for hepatic enzyme induction in man. *Lancet*, **20 March**: 572–575.
- Hunter J, Maxwell JD, Stewart DW, Williams R, Robinson J, & Richardson A (1972) Increased hepatic microsomal enzymes activity from occupational exposure to certain organochlorine pesticides. *Nature*, **237**: 399–401.
- Hutson DH (1981) The metabolism of insecticides in man. In: Hutson DH & Roberts TR ed. *Progress in pesticide biochemistry*. New York, John Wiley and Sons, vol 1, pp 287–333.
- Hutson DH & Hoadley EC (1974) The oxidation of a cyclic alcohol (12-hydroxyendrin) to a ketone (12-ketoendrin) by microsomal mono-oxygenation. *Chemosphere*, **5**: 205–210.
- Hutson DH, Baldwin MK, & Hoadley EC (1975) Detoxication and bioactivation of endrin in the rat. *Xenobiotica*, **5**(11): 697–714.
- IARC (1974) Endrin. In: Some organochlorine pesticides. Lyon, International Agency for Research on Cancer, pp. 157–171 (IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Man, Volume 5).
- IARC (1987) Overall evaluations of carcinogenicity: An updating of IARC Monographs volumes 1 to 42. Lyon, International Agency for Research on Cancer, p. 63 (IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Supplement 7).
- Illahi A, Amin N, Hashmi AS, Nawaz M, & Naeem-ur Rahman (1986) Incidence of endrin residues in cucumber and its effects on the biological system of rats. *J Pak Med Assoc*, **36**(8): 209–211.

## References

---

- Illahi A, Roohi J, & Hashmi AS (1987) Present status of endrin residues in peas and its effect on biological systems. *J Pure Appl Sci*, **6**(1): 1-4.
- Ito N, Tatematsu M, Nakanishi K, Hasegawa R, Takano T, Imaida K, & Ogiso T (1980) The effects of various chemicals on the development of hyperplastic liver nodules in hepatectomized rats treated with N-nitrosodimethylamine or N-2-fluorenylacetamide. *Gann*, **71**: 832-842.
- Jacobziner H & Raybin HW (1959) Briefs on accidental chemical poisonings in New York City. Poisoning by insecticide (endrin). *NY State J Med*, **59**: 2017-2022.
- Jager KW (1970) Aldrin, dieldrin, endrin and telodrin. An epidemiological study of long-term occupational exposure. Amsterdam, Elsevier Science Publishers.
- Japanese Environmental Agency (1975) Environmental survey report on chemical substances in FY 1974. Unpublished report, December 1975, Tokyo, Environmental Health Department, Planning and Coordination Bureau.
- Japenga J, Wagenaar WJ, Smedes F, & Salomons W (1987) A new, rapid clean-up procedure for the simultaneous determination of different groups of organic micropollutants in sediments; application in two European estuarine sediment studies. *Environ Technol Lett*, **8**(1): 9-20.
- Jarvinen AW, Tanner DK, & Kline ER (1988) Toxicity of chlorpyrifos, endrin, or fenvalerate to fathead minnows following episodic or continuous exposure. *Ecotoxicol Environ Saf*, **15**: 78-95.
- Jedeikin R, Kaplan R, Shapira A, Radwan H, & Hoffman S (1979) The successful use of 'high level' PEEP in near fatal endrin poisoning. *Crit Care Med*, **7**(4): 168-170.
- Jegier Z (1964) Health hazards in insecticide spraying of crops. *Arch Environ Health*, **8**: 670-674.
- Jenkins RB & Toole JF (1964) Polyneuropathy following exposure to insecticides. *Arch Intern Med*, **113**: 691-695.
- Johnson DW (1968) Pesticides and fishes—a review of selected literature. *Trans Am Fish Soc*, **97**(4) 398-424.
- Johnson RD & Manske DD (1976) Pesticide residues in total diet samples (IX). *Pestic Monit J*, **9**(4): 157-169.
- Johnson RD & Manske DD (1977) Pesticide and other chemical residues in total diet samples (XI). *Pestic Monit J*, **11**(3): 116-131.
- Johnson RD, Manske DD, New DH, & Podrebarac DS (1979) Pesticide and other chemical residues in infant and toddler total diet samples, (I), August 1974-July 1975. *Pestic Monit J*, **13**(3): 87-98.

Johnson RD, Manske DD, & Podrebarac DS (1981a) Pesticide, metal, and other chemical residues in adult total diet samples, (XII), August 1975-July 1976. *Pestic Monit J*, **15**(1): 54-71.

Johnson RD, Manske DD, New DH, & Podrebarac DS (1981b) Pesticide, heavy metal, and other chemical residues in infant and toddler total diet samples, (II), August 1975-July 1976. *Pestic Monit J*, **15**(1): 39-50.

Johnson RD, Manske DD, New DH, & Podrebarac DS (1984) Pesticide, metal, and other chemical residues in adult total diet samples, (XIII), August 1976-July 1977. *J Assoc Off Anal Chem*, **67**(1): 154-166.

Johnson MG, Kelso JRM, & George SE (1988) Loadings of organochlorine contaminants and trace elements to two Ontario lake systems and their concentrations in fish. *Can J Fish Aquat Sci*, **45**: 170-178.

Jolley WP, Stemmer KL, Grande F, Richmon J, & Pfitzer EA (1969) The effects exerted upon beagle dogs during a period of two years by the introduction of 1,2,3,4,10,10-hexachloro-6,7-epoxy-1,4,4a,5,6,7,8,8a-octahydro-1,4-endo,endo-5,8-dimethanonaphthalene into their daily diets. Unpublished report, Cincinnati, Ohio, Kettering Laboratory, submitted to WHO by Shell.

Joy RM (1976) Convulsive properties of chlorinated hydrocarbon insecticides in the cat central nervous system. *Toxicol Appl Pharmacol*, **35**: 95-106.

Kacew S, Sutherland DJB, & Singhal RL (1973) Biochemical changes following chronic administration of heptachlor, heptachlor epoxide and endrin to male rats. *Environ Physiol Biochem*, **3**: 221-229.

Kachole MS & Pawar SS (1977) Effect of endrin on microsomal electron transport reactions. Part I: Sleeping time, electron transport components and protection due to pre-treatments. Abstracts of the 1976 Annual General Meeting of Biochemists. *J Biochem*, **14**(1): 45.

Kadis VW, Breikreitz WE, & Jonasson OJ (1970) Insecticide levels in human tissues of Alberta residents. *Can J Public Health*, **61**(5): 413-416.

Kagan J, Kagan ED, & Seigneurie E (1986) Alpha-terthienyl, a powerful fish poison with light-dependent activity. *Chemosphere*, **15**(1): 49-57.

Kaiser TE, Reichel WL, Locke LN, Cromartie E, Lamont TG, Mulhern BM, Prouty RM, Stafford CJ, & Swineford DM (1980) Organochlorine pesticide, PCB, PBB residues and necropsy data for bald eagles from 29 states—1975-77. *Pestic Monit J*, **13**: 145-149.

Kampe W (1985) [Pesticide residues in animal feeding-stuffs.] *Dtsch Tierarztl Wochenschr*, **92**(6): 228-231 (in German).

## References

---

- Kanitz S & Castello G (1966) [The presence of residues of some pesticides in human fatty tissue and in some foods. Initial results of a survey carried out in Liguria.] *G Ig Med Prev*, **7**: 1–19 (in Italian).
- Karplus M (1971) [Endrin poisoning in children.] *Harefuah*, **18**(3): 113–116 (in Hebrew with English summary).
- Kassabi M, ElHraiki A, & Nader B (1988) Contamination of urban, industrial and continental waters by chlorinated hydrocarbon pesticides along the mediterranean coast of Morocco. *Sci Total Environ*, **71**: 209–214.
- Kathpal T & Dewan RS (1975) Improved clean-up technique for the estimation of endosulfan and endrin residues. *J Assoc Off Anal Chem*, **58**(5): 1076–1078.
- Katz M & Chadwick GG (1961) Toxicity of endrin to some Pacific Northwest fishes. *Trans Am Fish Soc*, **90**: 394–397.
- Kavlock RJ, Chernoff N, Hanisch RC, Gray J, Rogers E, & Gray LE Jr (1981) Perinatal toxicity of endrin in rodents. II. Fetotoxic effects of prenatal exposure in rats and mice. *Toxicology*, **21**: 141–150.
- Kavlock RJ, Chernoff N, & Rogers EH (1985) The effect of acute maternal toxicity on fetal development in the mouse. *Teratog Carcinog Mutagen*, **5**: 3–13.
- Kavlock RJ, Rogers JM, Gray LE, & Chernoff N (1987) Postnatal alterations in development resulting from prenatal exposure to pesticides. In: *Pesticide science and biotechnology, Proceedings of the 6th International Congress on Pesticide Chemicals*, pp 561–564.
- Keilty TJ & Stehly GR (1989) Preliminary investigation of protein utilization by an aquatic earthworm in response to sublethal stress. *Bull Environ Contam Toxicol*, **43**: 350–354.
- Keilty TJ, White DS, & Landrum PF (1988a) Short-term lethality and sediment avoidance assays with endrin-contaminated sediment and two *Oligochaetes* from Lake Michigan. *Arch Environ Contam Toxicol*, **17**: 95–101.
- Keilty TJ, White DS, & Landrum PF (1988b) Sublethal responses to endrin in sediment by *Limnodrilus hoffmeisteri* (Tubificidae) and in mixed-culture with *Styodrilus heringianus* (Lumbriculidae). *Aquat Toxicol*, **13**: 227–250.
- Keilty TJ, White DS, & Landrum PF (1988c) Sublethal responses to endrin in sediment by *Styodrilus heringianus* (Lumbriculidae) as measured by a <sup>137</sup>cesium marker layer technique. *Aquat Toxicol*, **13**: 251–270.
- Keplinger MK & Deichmann WB (1967) Acute toxicity of combinations of pesticides. *Toxicol Appl Pharmacol*, **10**: 586–595.

Khangarot BS, Sehgal A, & Bhasin MK (1985) Man and biosphere—studies on the Sikkim Himalayas. Part 6: Toxicity of selected pesticides to frog tadpole, *Rana hexadactyla* (Lesson). Acta Hydrochim Hydrobiol, 13(3): 391-394.

Kiang PH & Grob RL (1986) Development of a screening method for the determination of 49 priority pollutants in soil. J Environ Sci Health, A21(1): 15-53.

Kiene RP & Capone DG (1984) Effects of organic pollutants on methanogenesis, sulfate reduction and carbon dioxide evolution in salt marsh sediments. Mar Environ Res 13: 141-160.

Kligemagi U, Sprowls RG, & Terriere LC (1958) Endrin content of milk and body tissues of dairy cows receiving endrin daily in their diet. J Agric Food Chem, 6(7): 518-521.

King KA, Flickinger EL, & Hildebrand HH (1977) The decline of brown pelicans on the Louisiana and Texas Gulf Coast. Southwest Nat, 21(4): 417-431.

King KA, Blankinship DR, Payne E, Krynitsky AJ, & Hensler GL (1985) Brown pelican populations and pollutants in Texas, 1975-1981. Wilson Bull, 97(2): 201-214.

Kinoshita FK & Kempf CK (1970) Quantitative measurement of hepatic microsomal enzyme induction after dietary intake of chlorinated hydrocarbon insecticides. Toxicol Appl Pharmacol, 17: 288.

Klein W, Mueller W, & Korte F (1968) [Insecticides in the metabolism. XVI. Excretion, distribution and metabolism of endrin <sup>14</sup>C in rats.] Liebig's Ann Chem, 713: 180-185.

Klevay LM (1971) Endrin excretion by the isolated perfused rat liver: a sexual difference. Proc Soc Exp Biol Med, 136: 878-879.

Kodavanti PRS, Mehrotra BD, Chetty SC, & Desai D (1988) Effect of selected insecticides on rat brain synaptosomal adenylate cyclase and phosphodiesterase. J Toxicol Environ Health, 25: 207-215.

Koeman JH (1971) [The occurrence and the toxicological implications of some chlorinated hydrocarbons in the Dutch coastal area in the period 1965-70], Utrecht, Rijks University, pp 88, 96 (Thesis) (in Dutch).

Koeman JH, Oskamp AAG, Veen J, Brouwer E, Rooth J, Zwart P, van de Brock E, & van Genderen H (1967) Insecticides as a factor in the mortality of the sandwich tern (*Sterna sandvicensis*). A preliminary communication. Meded Fac Landbouwwet Rijksuniv Gent, 32: 841-854.

Koeman JH, Vink JAJ, & de Goeij JJM (1969) Causes of mortality in birds of prey and owls in the Netherlands in the winter of 1968-69. Andrea, 57: 67-76.

## References

---

Koeman JH, Pennings JH, de Goeij JJM, Tjioe PS, Olindo PM, & Hopcraft J (1972) A preliminary survey of the possible contamination of Lake Nakuru in Kenya with some metals and chlorinated hydrocarbon pesticides. *J Appl Ecol*, **9**(2): 411–416.

Koeman JH, Pennings JH, Rosanto R, Soemarwoto O, Tjioe PS, Blancke S, Kusumadinata S, & Djajadiredja RR (1974) Metals and chlorinated hydrocarbon pesticides in samples of fish, sawah-duck eggs, crustaceans and molluscs collected in Indonesia in April and May 1972. Unpublished report, Wageningen-Bandung, University of Wageningen, The Netherlands.

Korn S & Earnest R (1974) Acute toxicity of twenty insecticides to striped bass, *Morone saxatilis*. *California Fish Game*, **60**(3): 128–131.

Korte F (1969) Summary of results in 1969. Unpublished report, submitted to WHO by Shell.

Korte F, Klein W, Weisgerber I, Kaul R, Mueller W, & Djirsurai A (1970) Recent results in studies on the fate of chlorinated insecticides. In: Deichmann WB, Radomski JL, & Penalver RA, ed. *Proceedings of the Sixth Conference on Toxicology and Occupational Medicine, Pesticide Symposia*. Miami, Florida, Halos & Associates, Inc., pp 51–56.

Krantz WC, Mulhern BM, Bagley GE, Sprunt A, Ligas FJ, & Robertson WC Jr (1970) Organochlorine and heavy metal residues in bald eagle eggs. *Pestic Monit J*, **4**(3): 136–140.

Kreitzer JF (1980) Effects of toxaphene and endrin at very low dietary concentrations on discrimination acquisition and reversal in bobwhite quail *Colinus virginianus*. *Environ Pollut (Ser A)*, **23**: 217–230.

Kreitzer JF & Heinz GH (1974) The effect of sub-lethal dosages of five pesticides and a polychlorinated biphenyl on the avoidance response of Coturnix quail chicks. *Environ Pollut*, **6**: 21–29.

Kubiak TJ, Harris HJ, Smith LM, Schwartz TR, Stalling DL, Trick JA, Sileo L, Docjerty DE, & Erdman TC (1989) Microcontaminants and reproductive impairment of the Forster's tern on Green Bay, Lake Michigan—1983. *Arch Environ Contam Toxicol*, **18**: 706–727.

Kudesia VP & Bali NP (1985) A study of pesticides in Kalinadi River and evaluation of toxicity of some pesticides on fish *Clarias batrachus*. *Acta Cienc Indica*, **10C**(4): 245–254.

Kummer R & Van Sittert NJ (1984) Field study on health effects in farmers applying an endrin/DDT/MEP formulation by hand-held ULV to cotton in Ivory Coast. Unpublished report, The Hague, Shell Internationale Petroleum Maatschappij, submitted to WHO by Shell.

Kummer R & Van Sittert NJ (1986) Field studies on health effects from the application of two organophosphorus insecticide formulations by hand-held ULV to cotton. *Toxicol Lett*, **33**: 7–24.

- Kurata M, Hirose K, & Umeda M (1982) Inhibition of metabolic cooperation in Chinese hamster cells by organochlorine pesticides. *Gann*, **73**: 217-221.
- Kurhekar MP, D'Souza FC, & Meghal SK (1975) Rapid method for extracting aldrin, dieldrin, and endrin from visceral material. *J Assoc Off Anal Chem*, **58**(3): 548-550.
- Kutz FW, Yobs AR, & Yang HSC (1976) National pesticide monitoring programs. In: Lee RE Jr, ed. *Air pollution from pesticides and agricultural processes*. Cleveland, Ohio, CRC Press, pp 95-136.
- Kutz F, Strassman S, & Yobs AR (1979a) Survey of pesticide residues and their metabolites in the general population of the United States. In: Berlin A, Wolff AH, & Hasegawa Y ed. *Use of biological specimens to assess human exposure to environmental pollutants*, The Hague, Martinus Nijhoff, pp 267-274.
- Kutz FW, Strassman SC, & Sperling JF (1979b) Survey of selected organochlorine pesticides in the general population of the United States. Fiscal years 1970-1975. *Ann NY Acad Sci*, **320**: 60-68.
- Lara WH & Barreto HHC (1972) [Chlorinated pesticide residues in water.] *Rev Inst Adolfo Lutz*, **32**: 69-74 (in Portuguese with English summary).
- Lauer GJ, Nicholson HP, Cox WS, & Teasley JI (1966) Pesticide contamination of surface waters by sugar cane farming in Louisiana. *Trans Am Fish Soc*, **95**(3): 310-316.
- Lawrence CH, Coleman RL, & Sowell WL (1968) Endrin induced trace metal alterations following acute exposure. *Bull Environ Contam Toxicol*, **3**(4): 229-239.
- Leard RL, Grantham BJ, & Pessoney GF (1980) Use of selected freshwater bivalves for monitoring organochlorine pesticide residues in major Mississippi stream systems, 1972-73. *Pestic Monit J*, **14**(2): 47-52.
- Lebel GL & Williams DT (1986) Determination of halogenated contaminants in human adipose tissue. *J Assoc Off Anal Chem*, **69**(3): 451-458.
- Lichtenberg JJ, Eichelberger JW, Dressman RC, & Longbottom JE (1970) Pesticides in surface waters of the United States; a 5-year summary, 1964-1968. *Pestic Monit J*, **4**(2): 71-86.
- Lopez-Avila V, Schoen S, Milanés J, & Beckert WF (1988) Single-laboratory evaluation of EPA method 8080 for determination of chlorinated pesticides and polychlorinated biphenyls in hazardous wastes. *J Assoc Off Anal Chem*, **71**(2): 375-387.
- Lowe JI (1966) Some effects of endrin on estuarine fishes. In: *Proceedings of the 19th Annual Conference of the Southeast Association of Game and Fish Commissioners*, pp 271-276.

## References

---

- Luckens MM & Davis WH (1965) Toxicity of dieldrin and endrin to bats. *Nature*, **207**(4999): 879–880.
- Luckens MM & Phelps KI (1969) Serum enzyme patterns in acute poisoning with organochlorine insecticides. *J Pharm Sci*, **58**(5): 569–572.
- Ludke JL (1976) Organochlorine pesticide residues associated with mortality: additivity of chlordane and endrin. *Bull Environ Contam Toxicol*, **16**(3): 253–260.
- Luke MA, Masumoto HT, Cairns T, & Hundley HK (1988) Levels and incidences of pesticide residues in various foods and animal feeds analyzed by the Luke multi-residue methodology for fiscal years 1982-1986. *J Assoc Off Anal Chem*, **71**(2): 415–433.
- Lund AE & Narahasi T (1983) Kinetics of sodium channel modification as the basis for the variation in the nerve membrane effects of pyrethroids and DDT analogs. *Pestic Biochem Physiol*, **20**: 203–206.
- Lykins BW Jr, Koffskey WE, & Miller RG (1986) Chemical products and toxicologic effects of disinfection. *J Am Water Works Assoc*, **78**(11): 66–75.
- McFall JA, Antoine SR, & Deleon IR (1985) Organics in the water column of Lake Pontchartrain. *Chemosphere*, **14**(9): 1253–1265.
- McGill AEJ & Robinson J (1968) Organochlorine insecticide residues in complete prepared meals: a 12-month survey in SE England. *Food Cosmet Toxicol*, **6**: 45–57.
- Machbub B, Ludwig HF, & Gunaratnam D (1988) Environmental impact from agrochemicals in Bali (Indonesia). *Environ Monit Assess*, **11**: 1–23.
- McIntyre AE & Lester JN (1984) Occurrence and distribution of persistent organochlorine compounds in UK sewage sludges. *Water Air Soil Pollut*, **23**: 397–415.
- McKenney CL Jr (1986) Critical responses of populations of crustacea to toxicants. Gulf Breeze, Florida, US Environmental Protection Agency, Environmental Research Laboratory (Environmental Research Brief EPA/600/M-86/004).
- McLeese DW & Metcalfe CD (1980) Toxicities of eight organochlorine compounds in sediment and seawater to *Crangon septemspinosa*. *Bull Environ Contam Toxicol* **25**: 921-928.
- McLeese DW, Metcalfe CD, & Pezzack DS (1980) Bioaccumulation of chlorobiphenyls and endrin from food by lobsters (*Homarus americanus*). *Bull Environ Contam Toxicol* **25**: 161-168.
- McLeese DW, Burrige LE, & van Dinter J (1982) Toxicities of five organochlorine compounds in water and sediment to *Nereis virens*. *Bull Environ Contam Toxicol* **28**: 216-220.

Madden JD, Finerty MW, & Grodner RM (1989) Survey of persistent pesticide residues in the edible tissues of wild and pond-raised Louisiana crayfish and their habitat. *Bull Environ Contam Toxicol*, **43**: 779–784.

Manske DD & Corneliusson PE (1974) Pesticide residues in total diet samples (VII). *Pestic Monit J*, **8**(2): 110–124.

Manske DD & Johnson RD (1975) Pesticide residues in total diet samples (VIII). *Pestic Monit J*, **9**(2): 94–105.

Manske DD & Johnson RD (1977) Pesticide and other chemical residues in total diet samples (X). *Pestic Monit J*, **10**(4): 134–148.

Marinelli P, Stracciari GL, & Anfossi P (1986) [Presence of organochlorinated pesticides in some wine-making by-products.] *Zoot Nutr Anim*, **12**: 479–486 (in Italian with English summary).

Marsh C (1963) Metabolism of D-glucuronolactone in mammalian systems. Conversion of D-glucuronolactone into D-glucaric acid by tissue preparations. *Biochem J*, **87**: 82–90.

Marston RB, Tyo RM, & Middendorff SC (1969) Endrin in water from treated Douglas fir seed. *Pestic Monit J*, **2**(4): 167–171.

Martin RJ & Duggan RE (1968) Pesticide residues in total diet samples (III). *Pestic Monit J*, **1**(4): 11–20.

Martin DB & Hartman WA (1985) Organochlorine pesticides and polychlorinated biphenyls in sediment and fish from wetlands in the North Central United States. *J Assoc Off Anal Chem*, **68**(4): 712–717.

Martin JP, Harding RB, Cannell GH, & Anderson L (1959) Influence of five annual field applications of organic insecticides on soil biological and physical properties. *Soil Sci*, **87**: 334–338.

Maslansky CJ & Williams GM (1981) Evidence for an epigenetic mode of action in organochlorine pesticide hepatocarcinogenicity. A lack of genotoxicity in rat, mouse and hamster hepatocytes. *J Toxicol Environ Health*, **8**: 121–130.

Mason JW & Rowe OR (1976) The accumulation and loss of dieldrin and endrin in the eastern oyster. *Arch Environ Contam Toxicol*, **4**(3): 349–360.

Masud SZ & Farhat S (1985) Pesticide residues in foodstuffs in Pakistan—organochlorine pesticides in fruits and vegetables. *Pak J Sci Ind Res*, **28**(6): 417–422.

Matsumoto K, Eldefrawi ME, & Eldefrawi AT (1988) Action of polychlorocycloalkane insecticides on binding of [<sup>35</sup>S]t-butylbicyclophosphorothionate to *Torpedo* electric organ membranes and stereospecificity of binding site. *Toxicol Appl Pharmacol*, **95**: 220–229.

## References

---

- Matsumura F, Khanvilkar VG, Patil KC, & Boush GM (1971) Metabolism of endrin by certain soil microorganisms. *J Agric Food Chem*, **19**(1): 27–31.
- Maule A, Plyte S, & Quirk AV (1987) Dehalogenation of organochlorine insecticides by mixed anaerobic microbial populations. *Pestic Biochem Physiol*, **27**: 229–236.
- Mayer, FL Jr (1987) Acute toxicity handbook of chemicals to estuarine organisms. Gulf Breeze, Florida, US Environmental Protection Agency, Environmental Research Laboratory (Environmental Research Brief EPA/600/8-87/017).
- Mayer FL Jr & Ellersieck MR (1986) Manual of acute toxicity: Interpretation and data base for 410 chemicals and 66 species of freshwater animals. Washington, DC, US Department of the Interior Fish and Wildlife Service (Resource publication 160).
- Meena K, Gupta PK, & Bawa SR (1978) Endrin-induced toxicity in normal and irradiated rats. *Environ Res*, **16**: 373–382.
- Mehrotra BD, Moorthy, KS, Reddy SR, & Desai D (1989) Effects of cyclodiene compounds on calcium pump activity in rat brain and heart. *Toxicology*, **54**: 17–29.
- Meith-Avcin N, Warlen SM, & Barber RT (1973) Organochlorine insecticide residues in a bathyl-demersal fish from 2500 meters. *Environ Lett*, **5**(4): 215–221.
- Mersch-Sundermann V, Dickgiesser N, Hablitzel U, & Gruber B (1988) [Examination of mutagenicity of organic microcontaminations on the environment. I. Communication: the mutagenicity of selected herbicides and insecticides with the *Salmonella*-microsome-test (Ames-test) in consideration of the pathogenetic potency of contaminated ground- and drinking-water.] *Zbl Bakteriolog Hyg B*, **186**: 247–260 (in German).
- Metcalf RL, Kapoor IP, Lu PY, Schuth CK, & Sherman P (1973) Model ecosystem studies of the environmental fate of six organochlorine pesticides. *Environ Health Perspect*, **4**: 35–44.
- Miles JRW & Harris CR (1973) Organochlorine insecticides residues in streams draining agricultural, urban agricultural and resort areas of Ontario, Canada, 1971. *Pestic Monit J*, **6**(4): 363–368.
- Miller PE & Fink GB (1973) Brain serotonin level and pentylenetetrazol seizure threshold in dieldrin and endrin treated mice. *Proc West Pharmacol Soc*, **16**: 195–197.
- Modin JC (1969) Chlorinated hydrocarbon pesticides in California bays and estuaries. *Pestic Monit J*, **3**(1): 1–7.
- Morita H & Umeda M (1984) Detection of mutagenicity of various compounds by FM3A cell system. *Mutat Res*, **130**(5): 371.

Moriya M, Ohta T, Watanabe K, Miyazawa T, Kato K, & Shirasu Y (1983) Further mutagenicity studies on pesticides in bacterial reversion assay system. *Mutat Res*, **116**: 185-216.

Morris RD (1968) Effects of endrin feeding on survival and reproduction in the deer mouse, *Peromyscus maniculatus*. *Can J Zool*, **46**(5): 951-958.

Morris RD (1970) The effects of endrin on *Microtus* and *Peromyscus*. I. Unenclosed field populations. *Can J Zool*, **48**: 695-708.

Morris RD (1972) The effects of endrin on *Microtus* and *Peromyscus*. II. Enclosed field populations. *Can J Zool*, **50**(6): 885-896.

Moser GJ & Smart RC (1989) Hepatic tumour-promoting chlorinated hydrocarbons stimulate protein kinase C activity. *Carcinogenesis*, **10**(5): 851-856.

Mount DI & Putnicki GJ (1966) Summary report of the 1963 Mississippi fish kill. *North Am Wildl Nat Res Conf Trans*, **31**: 177-184.

Mount DI, Vigor LW, & Schafer ML (1966) Endrin: use of concentration in blood to diagnose acute toxicity in fish. *Science*, **152**: 1388-1390.

Mugambi JM, Kanja L, Maitho TE, Skaare JU, & Lokken P (1989) Organochlorine pesticide residues in domestic fowl (*Gallus domesticus*) eggs from Central Kenya. *J Sci Food Agric*, **48**: 165-176.

Muir CMC (1970) The acute oral and percutaneous toxicities to rats of formulations of aldrin, dieldrin or endrin. Unpublished report No. TLGR.0020.70, Sittingbourne, Kent, Shell Research, submitted to WHO by Shell.

Mukerjee SK (1985) The environmental photodegradation of pesticides. *Indian J Agric Chem*, **18**(1): 1-9.

Mulhern BM, Reichel WL, Locke LN, Lamont TG, Belisle A, Cromartie E, Bagerly GE, & Prouty R (1970) Organochlorine residues and autopsy data from bald eagles. 1966-1968. *Pestic Monit J*, **4**: 141-144.

Muncy RJ & Oliver AD Jr (1963) Toxicity of ten insecticides to the red crawfish, *Procambarus clarki* (Girard). *Trans Am Fish Soc*, **92**: 428-431.

Mussalo-Rauhamaa H, Salmela SS, Leppanen A, & Pyysalo H (1986) Cigarettes as a source of some trace and heavy metals and pesticides in man. *Arch Environ Health*, **41**(1): 49-55.

## References

---

Nagelsmit A, Vliet PW, van Wiel-Wetzels WAM, van der Wielard MJ, Strik JJTWA, Ottevanger CF, & van Sittert NJ (1979) Porphyrins as possible parameters for exposure to hexachlorocyclopentadiene, allylchloride, epichlorohydrin and endrin. In: Strik JJTWA & Koeman JH, ed. Chemical porphyria in man. Amsterdam, Elsevier/North Holland Biochemical Press, pp 55-61.

Narahasi T (1987) Effects of toxic agents on neural membranes. In: Lowndes HE, ed. Electrophysiology in neurotoxicology. Boca Raton, Florida, CRC Press, vol 1, pp 23-44.

NCI (1978) Bioassay of endrin for possible carcinogenicity. Bethesda, Maryland, Department of Health Education, and Welfare, National Cancer Institute (DHEW Publication No. NIH 179-812)

NCI (1979) Bioassay of endrin for possible carcinogenicity. Bethesda, Maryland, Department of Health Education, and Welfare, National Cancer Institute, 110 pp (Carcinogenesis Technical Report Series No. 12; NTIS PB-288461)

Nebeker AV, Schuytema GS, Griffis WL, Barbitta JA, & Carey LA (1989) Effect of sediment organic carbon on survival of *Hyalella azteca* exposed to DDT and endrin. Environ Toxicol Chem, 8: 705-718.

Nelson SC, Bahler TL, Hartwell WV, Greenwood DA, & Harris LE (1956) Serum alkaline phosphatase levels, weight changes and mortality rates of rats fed endrin. J Agric Food Chem, 4(8): 696-700.

Nettleship DN & Peakall DB (1987) Organochlorine residue levels in three high Arctic species of colonially-breeding seabirds from Prince Leopold Island. Mar Pollut Bull, 18(8): 434-438.

NIOSH (1989) Manual of analytical methods. Endrin: Method No. 5519. Cincinnati, Ohio, National Institute for Occupational Safety and Health, pp 1-4.

Nishimura N, Nishimura H, & Oshima H (1982) Survey on mutagenicity of pesticides by the Salmonella-microsome test. J Aichi Med Univ Assoc, 10(4): 305-312.

Notten WRF & Henderson PT (1975) Alteration in urinary D-glucuronic acid excretion as an indication of exposition to xenobiotics. In: Proceedings of the International Symposium—Environment and Health, CEC/EPA/WHO, Paris, 1974.

Novak AF & Rao MRR (1965) Food safety program: endrin monitoring in the Mississippi River. Science, 150: 1751.

Ohlendorf HM, Swineford DM, & Locke LN (1981) Organochlorine residues and mortality of herons. Pestic Monit J, 14(4): 125-135.

Ondera S & Tabucanon MS (1986) Organochlorine pesticide residues in the lower Chao Phraya River and klongs along the river at Bangkok metropolitan area, 1982-1984. J Sci Soc Thailand, 12: 225-238.

- Oomen PA (1986) A sequential scheme for evaluating the hazard of pesticides to bees, *Apis mellifera*. Meded Fac Landbouwwet Rijksuniv Gent, **51**(3b): 1205–1213.
- Osborne BG, Barrett GM, Laal-Khoshab A, & Willis K (1989) The occurrence of pesticide residues in UK home-grown and imported wheat. *Pestic Sci*, **27**: 103–109.
- O'Shea TJ, Brownell RL Jr, Clarke DR Jr, Walker WA, Gay ML, & Lamont TG (1980) Organochlorine pollutants in small cetaceans from the Pacific and South Atlantic Oceans, November 1968–June 1976. *Pestic Monit J*, **14**(2): 35–46.
- Ottevanger CF & Van Sittert NJ (1979) Relation between anti-12-hydroxy endrin excretion and enzyme induction in workers involved in the manufacture of endrin. In: Strik JJTWA & Koeman JH, ed. *Chemical porphyria in man*. Amsterdam, Elsevier/North Holland Biomedical Press, pp 123–129.
- Ottolenghi AD, Haseman JK, & Suggs F (1974) Teratogenic effects of aldrin, dieldrin and endrin in hamsters and mice. *Teratology*, **9**: 11–16.
- Parveen Z & Masud SZ (1987) Organochlorine pesticide residues in cattle feed samples in Karachi, Pakistan. *J Sci Ind Res*, **30**(7): 513–516.
- Patil KC, Matsumura F, & Boush GM (1970) Degradation of endrin, aldrin, and DDT by soil microorganisms. *Appl Microbiol*, **19**(5): 879–881.
- Pavan I, Buglione E, Pettinati L, Perrelli G, Rubino GF, Bicchi C, D'Amato A, Carlino F, Bugiani M, & Polizzi S (1987) [Accumulation of organochlorine pesticides in human adipose tissue. data from the province of Turin (Italy).] *Med Lav*, **78**(3): 219–228 (in Italian).
- Pawar SS & Kachole MS (1978) Hepatic and renal microsomal electron transport reactions in endrin treated female guinea pigs. *Bull Environ Contam Toxicol*, **20**: 199–205.
- Pearce F (1987) Pesticide deaths: the price of the green revolution. *New Sci*, **114**: 30.
- Peterson SR & Ellarson RS (1978) pp'-DDE, polychlorinated biphenyls, and endrin in old squaws in North America, 1969–73. *Pestic Monit J*, **11**(4): 170–181.
- Petrella VJ, Fox JP, & Webb RE (1975) Endrin metabolism in endrin-susceptible and resistant strains of pine mice. *Toxicol Appl Pharmacol*, **34**: 283–291.
- Petrella VJ, McKinney JD, Fox JP, & Webb RE (1977) Identification of metabolites of endrin. Metabolism in endrin susceptible and resistant strains of pine mice. *J Agric Food Chem*, **25**(2): 393–398.
- Pfister RM (1972) Interactions of halogenated pesticides and microorganisms: a review. *CRC Crit Rev Microbiol*, **21**(1): 1–33.
- Phillips DD, Pollard GE, & Soloway SB (1962) Thermal isomerization of endrin and its behaviour in gas chromatography. *J Agric Food Chem*, **10**(3): 217–221.

## References

---

- Plimmer JR (1972) Photochemistry of organochlorine insecticides. In: Tahori AS, ed. Proceedings of the Ssecond international IUPAC congress of pesticides chemistry. New York, Gordon & Breach, vol 1, pp 413-432.
- Podrebarac DS (1984) Pesticide, heavy metal, and other chemical residues in infant and toddler total diet samples (IV). October 1977-September 1978. *J Assoc Off Anal Chem*, **67**(1): 166-175.
- Probst GS, McMahon RE, Hill LE, Thompson CZ, Epp JK, & Neal SB (1981) Chemically-induced unscheduled DNA synthesis in primary rat hepatocyte cultures: a comparison with bacterial mutagenicity using 218 compounds. *Environ Mutagen*, **3**: 11-32.
- Prouty RM & Bunck C (1986) Organochlorine residues in adult mallard and black duck wings, 1981-1982. *Environ Monit Assess*, **6**: 49-57.
- Prouty RM, Reichel WL, Locke LN, Belisle AA, Cromartie E, Kaiser TE, Lamont TG, Mulhern BM, & Swineford DM (1977) Residues of organochlorine pesticides and polychlorinated biphenyls and autopsy data for bald eagles, 1973-74. *Pestic Monit J*, **11**: 134-137.
- Radeleff RD (1956) Hazards to livestock of insecticides used in mosquito control. *Mosq News*, **16**(2): 79-80.
- Radhakrishnan AG & Antony PD (1989) Pesticide residues in marine fishes. *Fish Technol*, **26**: 60-61.
- Rashid KA & Mumma RO (1986) Screening pesticides for their ability to damage bacterial DNA. *J Environ Sci Health*, **B21**(4): 319-334.
- Reddy DB, Edward VD, Abraham GJS, & Rao KV (1966) Fatal endrin poisoning. A detailed autopsy, histopathological and experimental study. *J Indian Med Assoc*, **46**(3): 121-124.
- Reddy DB, Abraham GJS, Edward VD, Naganna B, & Mathalli M (1967) Further observations on endrin poisoning. *J Indian Med Prof*, **13**(10): 5946, 5967-5968.
- Redetzke K., Gonzalez AA, & Applegate HG (1983) Organochlorine pesticides in adipose tissue of persons from Ciudad Juarez, Mexico. *J Environ Health*, **46**(1): 25-27.
- Reece RL, Scott PC, Forsyth WM, Gould JA, & Barr DA (1985) Toxicity episodes involving agricultural chemicals and other substances in birds in Victoria, Australia. *Vet Rec*, **117**(20): 525-527.
- Reeves RG, Woodham DW, Ganyard MC, & Bond CA (1977) Preliminary monitoring of agricultural pesticides in a cooperative tobacco pest management project in North Carolina, 1971—first-year study. *Pestic Monit J*, **11**(2): 99-106.

Reichel WL, Lamont TG, Cromartie E, & Locke LN (1969) Residues in two bald eagles suspected of pesticide poisoning. *Bull Environ Contam Toxicol*, **4**(1): 24–30.

Reidinger RF & Crabtree DG (1974) Organochlorine residues in golden eagles, United States—March 1964–July 1971. *Pestic Monit J*, **8**(1): 37–43.

Reins DA, Holmes DD, & Hinshaw LB (1964) Acute and chronic effects of the insecticide endrin on renal function and renal hemodynamics. *Can J Physiol Pharmacol*, **42**(5): 599–608.

Reins DA, Rieger JA Jr, Stavinoha WB, & Hinshaw LB (1966) Effect of endrin on venous return and catecholamine release in the dog. *Can J Physiol Pharmacol*, **44**: 59–67.

Reessang AA, Titus I, Andar RS, & Soedarmo D (1958) Aldrin, dieldrin and endrin intoxication in cats. *Commun Vet*, **2**(2): 71–88.

Reuber MD (1978) Carcinomas, sarcomas and other lesions in Osborne-Mendel rats ingesting endrin. *Exp Cell Biol*, **46**(3): 129–145.

Revzin AM (1966) Effects of endrin on telencephalic function in the pigeon. *Toxicol Appl Pharmacol*, **9**(1): 75–83.

Revzin AM (1980) Some acute and chronic effects of endrin on the brains of pigeons and monkeys. In: *Proceedings of the symposium on the biological impact of pesticides in the environment*, pp 134–141.

Ribbens PH (1985) Mortality study of industrial workers exposed to aldrin, dieldrin and endrin. *Arch Occup Environ Health*, **56**(2): 75–79.

Richardson LA, Lane JR, Gardner WS, Peeler JT, & Campbell JE (1967) Relationship of dietary intake to concentration of dieldrin and endrin in dogs. *Bull Environ Contam Toxicol*, **2**(4): 207–219.

Richardson A, Robinson J, & Baldwin MK (1970) Metabolism of endrin in the rat. *Chem Ind*, **1970**: 502–503.

Ritchey SJ, Young RW, & Essary EO (1972) Effects of heating and cooking method on chlorinated hydrocarbon residues in chicken tissues. *J Agric Food Chem*, **20**: 291–293.

Robinson J & McGill AEJ (1966) Organochlorine insecticide residues in complete prepared meals in Great Britain during 1965. *Nature*, **212**(5066): 1037–1038.

Robinson J, Richardson A, Hunter CG, Crabtree AN, & Rees HJ (1965) Organochlorine insecticide content of human adipose tissue in south-eastern England. *Br J Ind Med*, **22**: 220–229.

## References

---

- Roos AH, van Munsteren AJ, Nab FM, & Tuinstra LGMT (1987) Universal extraction/clean-up procedure for screening of pesticides by extraction with ethylacetate and size exclusion chromatography. *Anal Chim Acta*, **196**: 95–102.
- Rosales MTL, Escalona RL, Alarcon RM, & Zamora V (1985) Organochlorine hydrocarbon residues in sediments of two different lagoons of Northwest Mexico. *Bull Environ Contam Toxicol*, **35**: 322–330.
- Rosen JD (1972) Conversion of pesticides under environmental conditions. In: Coulston F & Korte F ed. *Environmental quality*. Stuttgart, George Thieme, vol 1, pp 85–96.
- Rosen JD, Sutherland DJ, & Lipton GR (1966) The photochemical isomerization of dieldrin and endrin and effects on toxicity. *Bull Environ Contam Toxicol*, **1**: 133–140.
- Rowe DR, Canter LW, Snyder PJ, & Mason JW (1971) Dieldrin and endrin concentrations in a Louisiana estuary. *Pestic Monit J*, **4**(4): 177–183.
- Rowley DL, Rab MA, Hardjotanojo W, Liddle J, Burse VW, Saleem M, Sokal D, Falk H, & Head SL (1987) Convulsions caused by endrin poisoning in Pakistan. *Pediatrics*, **79**(6): 928–934.
- Roylance KJ, Jorgensen CD, Booth GM, & Carter MW (1985) Effects of dietary endrin on reproduction of Mallard ducks (*Anas platyrhynchos*). *Arch Environ Contam Toxicol*, **14**: 705–711.
- Runhaar EA, Sangster B, Greve PA, & Voortman M (1985) A case of fatal endrin poisoning. *Hum Toxicol*, **4**: 241–247.
- Ryan S, Bacher GJ, & Martin AA (1972) The mussel *Hyridella australis* as a biological monitor of the pesticide endrin in fresh water. *Search*, **3**(11–12): 446–447.
- Safe S & Hutzinger O (1979) *Mass spectrometry of pesticides and pollutants*. Boca Raton, Florida, CRC Press, Inc.
- Saiki MK & Schmitt CJ (1986) Organochlorine chemical residues in bluegills and common carp from the irrigated San Joaquin Valley floor, California. *Arch Environ Contam Toxicol*, **15**: 357–366.
- Samhan O & Ghobrial F (1987) Trace metals and chlorinated hydrocarbons in sewage sludges of Kuwait. *Water Air Soil Pollut*, **36**: 239–246.
- Satsmadjis J, Georgakopoulos-Gregoriades E, & Voutsinou-Taliadouri F (1988) Red mullet contamination by PCBs and chlorinated pesticides in the Pagassitikos Gulf, Greece. *Mar Pollut Bull*, **19**(3): 136–138.
- Schafer ML, Peeler JT, Gardner WS, & Campbell JE (1969) Pesticides in drinking water—waters from the Mississippi and Missouri rivers. *Environ Sci Technol*, **3**(12): 1261–1269.

Schafer EW Jr, Bowles WA Jr, & Hurlbut J (1983) The acute oral toxicity, repellency, and hazard potential of 998 chemicals to one or more species of wild and domestic birds. *Arch Environ Contam Toxicol*, **12**: 355-382.

Scheutz EG, Wrighton SA, Safe SH, & Guzelian PS (1986) Regulation of cytochrome P-450p by phenobarbital and phenobarbital-like inducers in adult rat hepatocytes in primary monolayer culture and *in vivo*. *Biochemistry*, **25**: 1124-1133.

Schwabe U & Wendling I (1967) [Stimulation of drug metabolism by low doses of DDT and other chlorinated hydrocarbon insecticides.] *Arzneimittel-forschung*, **17**(5): 614-618 (in German).

Seifert J (1988) Ontogenesis and properties of the convulsant recognition site(s) of the gamma-aminobutyric acid (GABA) receptor complex in chicken embryo. *Eur J Pharmacol*, **151**: 443-448.

Seifert J (1989) Teratogenesis of polychlorocycloalkane insecticides in chicken embryos resulting from their interactions at the convulsant recognition sites of the GABA (pro)receptor complex. *Bull Environ Contam Toxicol*, **42**: 707-715.

Sherman M & Rosenberg M (1954) Subchronic toxicity of four chlorinated dimethanonaphthalene insecticides to chicks. *J Econ Entomol*, **47** (6): 1082-1083.

Sierra M & Santiago D (1987) Organochlorine pesticide levels in barn owls collected in Leon, Spain. *Bull Environ Contam Toxicol*, **38**: 261-265.

Sierra M, Teran MT, Gallego A, Diez MJ, & Santiago D (1987) Organochlorine contamination in three species of diurnal raptors in Leon, Spain. *Bull Environ Contam Toxicol*, **38**: 254-260.

Simmon VF, Kauhanen K, & Tardiff RC (1977) Mutagenic activity of chemicals identified in drinking water. In: Scott D, Bridges BA, & Sobels FH ed. *Progress in genetic toxicology*. Amsterdam, Elsevier/North Holland Biomedical Press, pp 249-258.

Singh MN (1988) Mortality response of *Achatina fulica* to various pesticides. *J Environ Biol*, **9**(2): 157-162.

Singh PDA & West ME (1985) Acute pesticide poisoning in the Caribbean. *West Indian Med J*, **34**: 75-83.

Singhal RL & Kacew S (1976) The role of cyclic AMP in chlorinated hydrocarbon-induced toxicity. *Fed Proc*, **35**(14): 2618-2623.

Smith KJ, Polen PB, de Vries DM, & Coon FB (1968) Removal of chlorinated pesticides from crude vegetable oils by simulated commercial processing procedures. *J Am Oil Chem Soc*, **45**: 866-869.

## References

---

- Sobti RC, Krishan A, & Davies J (1983) Cytokinetic and cytogenetic effect of agricultural chemicals on human lymphoid cells *in vitro*. II. Organochlorine pesticides. *Arch Toxicol*, **52**: 221–231.
- Somers JD, Goski BC, & Barrett MW (1987) Organochlorine residues in northeastern Alberta otters. *Bull Environ Contam Toxicol*, **39**: 783–790.
- Soto AR & Deichmann WB (1967) Major metabolism and acute toxicity of aldrin, dieldrin and endrin. *Environ Res*, **1**(4): 307–322.
- Spann JW, Heinz GH, & Hulse CS (1986) Reproduction and health of mallards fed endrin. *Environ Toxicol Chem*, **5**: 755–759.
- Speck LB & Maaske CA (1958) The effects of chronic and acute exposure of rats to endrin. *Arch Ind Health*, **18**: 268–272.
- Spynu EI (1964) On the toxicology of new organic chloride insecticides obtained by diene synthesis on the basis of hexachlorocyclopentadiene. *Gig Tr Prof Zabol*, **4**: 30–35.
- Squires RF & Saederup E (1989) Polychlorinated convulsant insecticides potentiate the protective effect of NaCl against heat inactivation of [3H] fluonitrazepam binding sites. *J Neurochem*, **52**: 537–543.
- Stanford Research Institute (1953) Unpublished letter Report No. 1 Ref. Project No. B-868 November 10, Stanford, CA, submitted to WHO by Shell.
- Stanford Research Institute (1954) Unpublished letter Report No. 3 Ref. Project No. B-868 February 1, Stanford, CA, submitted to WHO by Shell.
- Stanley CW, Barney JE II, Helton MR, & Yobs AR (1971) Measurement of atmospheric levels of pesticides. *Environ Sci Technol*, **5**: 430–435.
- Steinberg KK, Garza A, Bueso JA, Burse VW, & Phillips DL (1989) Serum pesticide concentrations in farming cooperatives in Honduras. *Bull Environ Contam Toxicol*, **42**: 643–650.
- Stickel WH, Kaiser TE, & Reichel WL (1979) Endrin versus 12-ketoendrin in birds and rodents. In: Kenaga EE ed. *Avian and mammalian wildlife toxicology*, Philadelphia, American Society for Testing and Materials, pp 61–68 (ASTM STP 693).
- Stout VF (1980) Organochlorine residues in fishes from the Northwest Atlantic Ocean and Gulf of Mexico. *Fish Bull*, **78**(1): 51–58.
- Strachan WMJ (1988) Toxic contaminants in rainfall in Canada: 1984. *Environ Toxicol Chem*, **7**: 871–877.

Strachan WMJ, Huneault H, Schertzer WM, & Elder FC (1980) Organochlorines in precipitation in the Great Lakes region. In: Afghan BK & MacKay D ed. Hydrocarbons and halogenated hydrocarbons in the aquatic environment. New York, Plenum Publishing Corp., pp 387-396.

Strassman SC & Kutz FW (1977) Insecticide residues in human milk from Arkansas and Mississippi, 1973-1974. *Pestic Monit J*, **10**(4): 130-133.

Strik JJTWA (1979) The occurrence of chronic hepatic porphyria in man, caused by halogenated hydrocarbons. In: Strik JJTWA & Koeman JH ed. Chemical porphyria in man. Amsterdam, Elsevier/North Holland Biomedical Press, p 3.

Struger J, Weseloh D, Hallett DJ, & Mineau P (1985) Organochlorine contaminants in herring gull eggs from the Detroit and Niagara Rivers and Saginaw Bay (1978-1982): contaminant discriminants. *J Great Lakes Res*, **11**(3): 223-230.

Sturm R, Knauth HD, Reinhardt KH, & Gandrasz J (1986) Distribution of chlorinated hydrocarbons in sediment and seston of the River Elbe. *Wasser*, **67**: 23-38.

Sundershan P & Khan MAQ (1980) Metabolic fate of [<sup>14</sup>C] endrin in bluegill fish. *Pestic Biochem Physiol*, **14**: 5-12.

Suzuki M & Morimoto M (1986) High resolution chemically bonded fused-silica capillary gas chromatography of organochlorine insecticides and related compounds in arable soil samples. *J High Resol Chromatogr Chromatogr Commun*, **9**: 296-298.

Suzuki M, Yamato Y, & Watanabe T (1973) Multiple organochlorine pesticide residues in Japan. *Bull Environ Contam Toxicol*, **10**(3): 145-150.

Suzuki K, Nagayoshi H, & Kashiwa T (1974) The systematic separation and identification of pesticide in the first division. *Agric Biol Chem*, **38**(2): 279-285.

Sykes PW Jr (1985) Pesticide concentrations in snail kite eggs and nestlings in Florida. *Condor*, **87**: 438.

Tarrant KR & Tatton JO'G (1968) Organochlorine pesticides in rainwater in the British Isles. *Nature*, **219**(5155): 725-727.

Telling GM, Sissons DJ, & Brinkman HW (1977) Determination of organochlorine insecticide residues in fatty food stuffs using a clean-up technique based on a single column of activated alumina. *J Chromatogr*, **137**: 405-423.

Teran MT & Sierra M (1987) Organochlorine insecticides in trout, *Salmo trutta fario* L. taken from four rivers in Leon, Spain. *Bull Environ Contam Toxicol*, **38**: 247-253.

Terriere LC (1964) Endrin. In: Zweig, G ed. Analytical methods for pesticides, plant growth regulators and food additives. New York, Academic Press, vol 2, pp 209-222.

## References

---

- Terriere LC, Kiigemagi U, & England DC (1958) Endrin content of body tissues of steers, lambs and hogs receiving endrin in their daily diet. *J Agric Food Chem*, **6**(7): 516-518.
- Terriere LC, Arscott GH, & Kiigemagi U (1959) The endrin content of eggs and body tissue of poultry receiving endrin in their daily diet. *J Agric Food Chem*, **7**(7): 502-504.
- Thier HP & Stijve T (1986) [Results of an inter-laboratory comparison of analyses of analyses of organochlorine and organophosphorus pesticide residues in fat.] *Lebensmittelchem Gerichth Chem*, **40**: 73-75 (in German).
- Thompson JF (1976) Manual of analytical quality control for pesticides and related compounds in human and environmental samples. Research Triangle Park, North Carolina, US Environmental Protection Agency, Office of Research and Development, Health Effects Research Laboratory (EPA-600/1-76-017).
- Thurston R, Gilfoil TA, Meyn EL, Zajdel RK, Aoki TI, & Veith GD (1985) Comparative toxicity of ten organic chemicals to ten common aquatic species. *Water Res*, **19**(9): 1145-1155.
- Travis CC & Arms AD (1988) Bioconcentration of organics in beef, milk and vegetation. *Environ Sci Technol*, **22**: 271-274.
- Treon JF, Cleveland FP, & Cappel J (1955) Toxicity of endrin for laboratory animals. *J Agric Food Chem*, **3**(10): 842-848.
- Truhaut R, Do Phuoc H, & Phu Lich N (1974) Influence de l'administration de pesticides organo-halogénés et de polychloro-biphényles sur le métabolisme de la zoxazolamine chez le rat. *CR Acad Sci Paris Sér D*, **278**: 3003-3006.
- Tucker RK & Crabtree DG (1970) Handbook of toxicity of pesticides to wildlife. Washington, DC, US Bureau of Sport Fisheries and Wildlife, Denver Wildlife Center (Resource Publication No. 84).
- Tuinstra LGMT (1971) Organochlorine insecticide residues in human milk in the Leiden region. *Neth Milk Dairy J*, **25**: 24-32.
- Uhnak J, Sackmauerova M, Szokolay A, & Pal'usova O (1974) The use of an electron capture detector for the determination of pesticides in water. *J Chromatogr* **91**: 545-547.
- United Kingdom Ministry of Agriculture, Fisheries and Food (1989) Report of the Working Party on Pesticide Residues 1985-1988. London, Her Majesty's Stationery Office (Food Surveillance Paper No. 25).
- US EPA (1974) New Orleans area water supply study (draft analytical report). Dallas, Texas, US Environmental Protection Agency, Lower Mississippi River Facility, Surveillance and Analysis Divisions, Region VI.

US EPA (1983) Findings of selected chemical residues in human blood serum and adipose tissue: Endrin. *Environ News*, **9** May.

USEPA (1985) Hexachloronorborene; Proposed submission of notice of manufacturer, import or processing and determination of significant new use. *Fed Reg*, **50**(36): 7351-7356.

USEPA (1987a) Health effects assessment for endrin. Cincinnati, Ohio, US Environmental Protection Agency, Office of Research and Development, Environmental Criteria and Assessment Office, 31 pp (Report PB88-180237).

US EPA (1987b) Health advisories for 16 pesticides. Washington, DC, US Environmental Protection Agency, Office of Drinking Water, 18 pp (Report PB87-200176).

Vance BD & Drummond W (1969) Biological concentration of pesticides by algae. *J Am Water Works Assoc*, **61**: 360-362.

Van Dijk P & van de Voorde H (1976) Mutagenicity versus carcinogenicity of organochlorine insecticides. *Meded Fac Landbouww Rijksuniv Gent*, **41**(2): 1491-1498.

Van Raalte HGS (1965) [Some aspects of pesticide toxicity.] Unpublished paper presented at the Conference on Occupational Health, Caracas, Venezuela; The Hague. Shell, International Petroleum Company, Health, Safety and Environment Division (in Spanish).

Van Sittert NJ (1985) Biological monitoring of bestrijdingsmiddelen; Coronel-PAOG Nascholingssymposium. Unpublished paper, Amsterdam, Vrije Universiteit, February 1985 (in Dutch).

Van Wynen JH & Stykel A (1988) Health risk assessment of residents living on harbour sludge. *Arch Occup Environ Health*, **61**: 77-87.

Veith GD, Kuehl DW, Leonard EN, Puglisi FA, & Lemke AE (1979) Polychlorinated biphenyls and other organic chemical residues in fish from major watersheds of the United States, 1976. *Pestic Monit J*, **13**(1): 1-11.

Veith GD, Kuehl DW, Leonard EN, Welch K, & Pratt G (1981) Polychlorinated biphenyls and other organic chemical residues in fish from major United States watersheds near the Great Lakes, 1978. *Pestic Monit J*, **15**(1): 1-8.

Verma MP, Bahga HS, Soni BK, & Singh SP (1970) Effect of insecticides on lactic acid concentration in the blood of buffalo-calves. *Indian Vet J*, **47**(12): 1056-1058.

Vermeer K, Risebrough RW, Spaans AL, & Reynolds LM (1974) Pesticide effects on fishes and birds in rice fields in Surinam, South America. *Environ Pollut*, **7**: 217-236.

Versteeg JPJ & Jager KW (1973) Long-term occupational exposure to the insecticides aldrin, dieldrin, endrin and telodrin. *Br J Ind Med*, **30**: 201-202.

## References

---

- Villeneuve JP, Holm E, & Cattini C (1985) Transfer of chlorinated hydrocarbons in the food chain lichen → reindeer → man. *Chemosphere*, **14**(11/12): 1651–1658.
- Von Westernhagen H, Dethlefsen V, Cameron P, & Janssen D (1987) Chlorinated hydrocarbon residues in gonads of marine fish and effects on reproduction. *Sarsia*, **72**: 419–422.
- Von Westernhagen H, Cameron P, Dethlefsen V, & Janssen D (1989) Chlorinated hydrocarbons in North Sea whiting (*Merlangius merlangus*) and effects on reproduction. I. Tissue burden and hatching success. *Helgolander Meeresunters* **43**: 45–60.
- Vrij-Standhardt WG, Strik JJTWA, Ottevanger CF, & van Sittert NJ (1979) Urinary D-glucuronic acid and urinary total porphyrin excretion in workers exposed to endrin. In: Strik JJTWA & Koeman JH ed. *Chemical porphyria in man*. Amsterdam, Elsevier/North Holland Biomedical Press, pp 113–121.
- Wafford KA, Sattelle DB, Gant DB, Eldefrawi AT, & Eldefrawi ME (1989a) Non-competitive inhibition of GABA receptors in insect and vertebrate CNS by endrin and lindane. *Pestic Biochem Physiol*, **33**: 213–219.
- Wafford KA, Lummis SCR, & Sattelle DB (1989b) Block of an insect central nervous system GABA receptor by cyclodien and cyclohexane insecticides. *Proc R Soc Lond*, **B237**: 53–61.
- Walker JJ & Phillips DE (1987) An electron microscopic study of endrin induced alterations in unmyelinated fibers of mouse sciatic nerve. *Neurotoxicology*, **8**(1): 55–64.
- Walsh GM & Fink GB (1970) Temporal aspects of acute endrin toxicity in mice. *Proc West Pharmacol Soc*, **13**: 81–83.
- Walsh GM & Fink GB (1972) Comparative toxicity and distribution of endrin and dieldrin after intravenous administration in mice. *Toxicol Appl Pharmacol*, **23**: 408–416.
- Wang HH & MacMahon B (1979) Mortality of workers employed in the manufacture of chlordane and heptachlor. *J Occup Med*, **21**(11):745–748.
- Wassermann M, Curnow DH, Forte PN, & Groner Y (1968) Storage of organochlorine pesticides in the body fat of people in Western Australia. *Int J Ind Med Surg*, **37**(4): 295–300.
- Wassermann M, Francone MP, Wassermann D, Mariani F, & Groner J (1969) [Organochlorine pesticide content of the fatty tissue of the general public in Argentina.] *Sem Med*, **134**(16): 459–462 (in Spanish).
- Waters MD, Sandhu SS, Simmon VF, Mortelmans KE, Mitchell AD, Jorgenson TA, Jones DCL, Valencia R, & Garrett NE (1982) Study of pesticide genotoxicity. *Basic Life Sci*, **21**: 275–326.

- Webb RE & Horsfall F Jr (1967) Endrin resistance in pine mouse. *Science*, **156**: 1762.
- Webb RE, Hartgrove RW, Randolph WC, Petrella VJ, & Horsfall F Jr (1973) Toxicity studies in endrin-susceptible and resistant strains of pine mice. *Toxicol Appl Pharmacol*, **25**(1): 42–47.
- Weeks DE (1967) Endrin food-poisoning. A report on four outbreaks caused by two separate shipments of endrin-contaminated flour. *Bull World Health Organ*, **37**: 499–512.
- Wegman RCC & Greve PA (1974) Levels of organochlorine pesticides and inorganic bromide in human milk. *Meded Fac Landbouwwet Rijksuniv Gent*, **39**: 1301–1310.
- Wegman RCC & Greve PA (1978) Organochlorines, cholinesterase inhibitors and aromatic amines in Dutch water samples, September 1969–December 1975. *Pestic Monit J*, **12**(3): 149–162.
- Wegman RCC & Greve PA (1980) Halogenated hydrocarbons in Dutch water samples over the years 1969–1977. *Environ Sci Res*, **16**: 405–415.
- Wegman RCC & Hofstee AWM (1982) Determination of organochlorines in river sediment by capillary gas chromatography. *Water Res*, **16**: 1265–1272.
- Wegman RCC, Hofstee AWM, & Greve PA (1981) Uptake of organochlorines by plants growing on river and basin sediment. *Meded Fac Landbouwwet Rijksuniv Gent*, **46**(1): 359–365.
- Weisgerber I, Klein W, & Korte F (1969) [Disappearance of residues and metabolism of endrin-<sup>14</sup>C in tobacco.] *Liebigs Ann Chem*, **729**: 193–197 (in German with English abstract).
- Wells MR & Yarbrough JD (1972) Vertebrate insecticide resistance: *in vivo* and *in vitro* endrin binding to cellular fractions from brain and liver tissues of *Gambusia*. *J Agric Food Chem*, **20**(1): 14–16.
- Whetstone RR (1964) Chlorocarbons and chlorohydrocarbons: chlorinated derivatives of cyclopentadiene. In: *Kirk-Othmer encyclopedia of chemical technology*, 2nd ed., New York, John Wiley and Sons, vol 5, pp 240–252.
- WHO (1989) Environmental Health Criteria No. 91: Aldrin and dieldrin. Geneva, World Health Organization, 335 pp.
- WHO (1992) The WHO recommended classification of pesticides by hazard. Guidelines to classification 1992–1993. Geneva, World Health Organization (WHO/PCS/92.14).
- WHO/FAO (1975) Data sheets on pesticides No. 1: Endrin. Geneva, World Health Organization (VBC/DS/75.1).