
WHO
Model Prescribing
Information

Drugs used in Bacterial
Infections



World Health Organization
Geneva
2001

RR

RV 250

10/1/67H



WORLD HEALTH ORGANIZATION
Model prescribing information
2001

WHO model prescribing information
Drugs used in bacterial infections

CORRIGENDUM

Page 163, Vancomycin

General information

The text for vancomycin should read:

Vancomycin is a glycopeptide antibiotic produced by Streptococcus orientalis

and

Clinical information

Nosocomial pneumonia due to metacillin-resistant Staphylococcus aureus

Adults: 1 g i.v. every 12 hours for 10-14 days

WHO Library Cataloguing-in-Publication Data

WHO model prescribing information : drugs used in bacterial infections.

1. Anti-infective agents, Fluoroquinolone — administration and dosage 2. Antibiotics, Lactam — administration and dosage 3. Vancomycin — administration and dosage 4. Drug resistance, Microbial 5. Essential drugs 6. Prescriptions, Drug — standards I. Title: Drugs used in bacterial infections

ISBN 92 4 140107 9 (NLM classification: QV 250)

The World Health Organization welcomes requests for permission to reproduce or translate its publications, in part or in full. Applications and enquiries should be addressed to the Office of Publications, World Health Organization, Geneva, Switzerland, which will be glad to provide the latest information on any changes made to the text, plans for new editions, and reprints and translations already available.

© World Health Organization 2001

Publications of the World Health Organization enjoy copyright protection in accordance with the provisions of Protocol 2 of the Universal Copyright Convention. All rights reserved.

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the Secretariat of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

Typeset in Hong Kong
Printed in Malta

2000/13269 — Best-set/Interprint — 5000

Contents

Preface	1
Introduction	3
Resistance to antimicrobials	3
Role of laboratories in antimicrobial susceptibility testing and reporting of surveillance data	5
General principles of antimicrobial prescribing	7
Choice of antimicrobial and options for treatment	9
Upper respiratory tract infections	14
Acute pharyngitis	14
Nasopharyngitis, rhinitis and common cold	15
Otitis media	15
Acute mastoiditis	17
Acute sinusitis	17
Croup (laryngotracheobronchitis)	18
Epiglottitis	18
Diphtheria	19
Lower respiratory tract infections	20
Bronchitis	20
Chronic recurrent cough	21
Pneumonia	21
Other respiratory tract infections	31
Pertussis (whooping cough)	31
Ornithosis	31
Melioidosis	31
Perioral and dental infections	33
Gingival infections and periodontitis	33
Tooth abscesses and suppurative odontogenic infections	33
Acute cervical adenitis	34
Gastrointestinal tract infections	35
Diarrhoeal disease	35
Acute enteric infections	38
Non-diarrhoeal gastrointestinal infections	41
Urinary tract infections	43
Urinary tract infections in women	43
Urinary tract infections in men	44
Urinary tract infections in children	44
Acute pyelonephritis	45
Prostatitis	45
Skin and soft tissue infections	47
Localized purulent skin lesions	47
Impetigo	47
Cellulitis and erysipelas	48

Contents *(continued)*

Streptococcal necrotizing fasciitis	49
Gangrene	49
Pyomyositis	50
Contaminated soft tissue injuries	51
Human and animal bites and clenched-fist injuries	51
Bone and joint infections	53
Osteomyelitis	53
Septic arthritis	57
Sexually transmitted diseases	61
Gonorrhoea	61
Lymphogranuloma venereum	62
Other chlamydial infections	63
Vaginitis	64
Pelvic inflammatory disease	64
Syphilis	66
Chancroid	67
Granuloma inguinale	68
Cardiovascular infections	69
Infective endocarditis	69
Prosthetic valve endocarditis	73
Pericarditis and myocarditis	73
Rheumatic fever	73
Central nervous system infections	75
Meningitis	75
Brain abscess	80
Miscellaneous infections	81
Lyme disease	81
Relapsing fever	81
Leptospirosis	82
Brucellosis	82
Tularaemia	83
Anthrax	83
Plague	84
Rickettsial infections	85
Q fever	85
Septicaemia	86
Initial empirical therapy	86
Prophylaxis	88
Surgical prophylaxis	88
Non-surgical prophylaxis	89
Drugs	92
amoxicillin	92
amoxicillin + clavulanic acid	94

Contents (continued)

ampicillin	96
benzylpenicillin	99
‡ benzathine benzylpenicillin	103
procaine benzylpenicillin	104
cefalexin	106
cefazolin	108
cefotaxime	110
ceftazidime	112
ceftriaxone	113
cefuroxime	117
chloramphenicol	117
ciprofloxacin	121
clindamycin	124
cloxacillin	126
doxycycline	131
erythromycin	134
gentamicin	137
imipenem + cilastatin	142
metronidazole	142
nalidixic acid	146
nitrofurantoin	147
nystatin	147
phenoxymethylpenicillin	148
rifampicin	149
spectinomycin	152
streptomycin	153
sulfadiazine	154
sulfamethoxazole + trimethoprim	156
tetracycline	159
tinidazole	161
trimethoprim	162
vancomycin	163
Index	166