

INDEX

- Abscess, 148
Abstinent group study, 103
Abu El Azayem Mosque, 132
Accident departments, 138
Acetylsalicylic acid, 44
Action Committee Against Narcotics, 119
Action on Smoking and Health, 220, 221
Addiction concept, 173
Addiction Research Foundation, 205, 217, 218
Adolescents, 38-41, 94
Afghanistan, 20, 242
Aftercare, 118
Aggressive behaviour, 137
Akron City Hospital, 162
Alcohol and alcoholism, dependence, 147
 deterrent, 241
 disease concept, 217
 drug combinations with, 136
 economic determinants, 225
 Egypt, 76, 131
 history, 43
 Hong Kong, 204
 Kenya, 80-85
 limited policy recommendations, 216-217
 patterns of use, 23, 34, 35, 47
 prevalence indicator, 218
 prevention policy formulation, 216
 prevention policy implementation problems, 217
 prevention strategies, 213-215
 prohibition, 153, 163
 Punjab, 44, 46
Alcohol and alcoholism (*contd*)
 reducing the demand for, 213-219, 228
 religious groups, 101
 Sri Lanka, 127
 Taiwan, 204
 treatment methods, 139-143
 Western cultures, 97, 246
 WHO work on, 30-31
 women, 182
Alcohol Abstinence Society, 140
Alcoholics Anonymous, 139, 161-167, 169, 170, 173
 growth and development, 164-166
 origins and background, 162
All-Japan Danshu Federation, 140
Alternatives to drug-taking, 209
Alumni Association, 118-119, 172
Amphetamines, 22, 38, 39, 79, 97
Andean region of South America, 12, 56-63, 95, 228
Anorexiant, 177
Antianxiety agents, 176
Antidepressants, 130, 134, 177
Antipsychotic drugs, 176, 177
Antismoking campaign, 227
ASH, 220, 221
Ataba clinic, 131, 132
Attack therapy, 118
Attitude survey, 137, 138

Ban Phui, 183, 186
Ban Phui Nuea, 183
Barbiturates, 22, 38, 79, 97, 136, 137, 148, 240

- Behaviour disorder, 148
 Behaviour problems, 151
 Benzine, 22
 Benzodiazepines, 15, 176-182
 Betel-nut, 36
 Blocking agents, 241
 British Medical Association, 179
 Bronchitis, 220
 Buddhism, 121-125, 127, 170
Bunsan-Naikan, 142
 Burma, attitude toward drugs and reasons for initiation, 54-55
 health care, 242
 opium and heroin addicts, 53-55
 patterns of opiate use, 55
 personal and social characteristics of addicts, 54
- Cairo, 76, 132
 Canada, reducing the demand for alcohol, 213-219
 research, 181
 Canadian Department of Health and Welfare, 179
 Cannabis, alcohol combination with, 85
 Egypt, 76-77
 India, 42-44
 Jamaica, 13, 71-76
 Lahore, 152
 patterns of use, 21, 38, 39, 97, 147, 148, 246
 Thailand, 36
 see also Marijuana
Cannabis indica, 72
Cannabis sativa, 72
 Cardiovascular disease, 220
 Case studies, 32-93
 Castle Peak Mental Hospital, 115
 Casualty departments survey, 135-137
Catha edulis, 86
 Caucus on Women, Alcohol and Legal Drugs, 181
 Central Association for the Prevention of Alcoholism and Intoxicants (CAPAI), 131-133
 Chemical boundaries, 16
 Chiangmai, 183
 Chicago, 67-71, 188-193, 224
 Children's Act, 221
 China, 203-204, 227, 229
- Chlordiazepoxide, 176
 Chlorodyne, 198
 Chlorpromazine, 152
 Cigarettes *see* Tobacco-smoking
 Coca, 12, 21, 56-63, 95, 97, 238
 Cocaine, 21, 42, 79, 138, 228
 Coleridge, Samuel Taylor, 195
 Community attitude, 120
 Community development, 239
 Confrontation techniques, 118
 Consumer groups, 180
 Control methods, 228, 229, 235
 Convention on Psychotropic Substances, 29, 152
 Coordination committee, 236
 Coordination mechanisms, 235-237
 "Copping areas", 67, 189
 Cost-benefit analysis, 243
 Counselling, 241-242
 Criminal entrepreneurs, 229
 Cultural influences, 82, 174-175, 226
 and treatment, 169-174
 Cultural integration, 95-96
 Cultural phenomenon, treatment as, 169
 Cyclazocine, 241
- Dangerous Drugs Act 1920 (UK), 104, 199, 200
Danshukai, 140-141, 143, 173
 Data base requirements, 234-235
 Decompensation, 229-230
 Defence of the Realm Act Regulation 40B (UK), 199
 Democratic Yemen, 86, 88, 92
 Demographic data, 137
 Department of Health and Social Security, 179
 Dependence-production drug, definition, 18
 Depression, 130
 De Quincey, Thomas, 195
 Detoxification, 239-241
 Developing countries, 19, 25, 139, 234, 235, 242, 243
 Diazepam, 152, 176, 179
 Disulfiram, 241
 Djibouti, 86, 88, 92
 Doll, Sir Richard, 220
 Drug, definition, 18

- Drug abuse, changing patterns of, 120
 definition, 18, 97-100
 deviance and impairment in, 101
 dimensions of problems, 98
 epidemic/non-epidemic patterns, 100
 future problems, 246-247
 presentation of problems, 148-149
 problems of, 20-31, 135
 Drug Abuse Prevention Evaluative Research Model, 210
 Drug Abuse Prevention Matrix, 209
 Drug Abuse Programme Continuum, 207
 Drug Addicts Treatment & Rehabilitation Ordinance, 115
 Drug consumption, 176-182
 Drug demand, strategies for reducing, 176-182, 226-228
 Drug dependence, concept of, 173
 definition, 18
 recovery from, 103
 Drug Dependence Institute, 145
 Drug maintenance, 240-241
 Drug substitution, 229, 240-241
 Drug therapy, 100
 Drug use, definition, 19
 Drug-use patterns, classification, 102
 commonalities and diversity among, 94-102
- Economic determinants, 225
 Economic development, 82-83, 85
 Economic inferences, 174
 Economic problems, 84
 Education, "drug", 15, 206-212
 health, 26, 220, 222
 health professionals, 181
 Education programmes, 207, 208
 Egypt, drug-use, 76-80
 outpatient clinic, 128-134, 170, 171
 Emergency departments, 138
 Emotional discomforts, 97, 176
 Employment aspects, 172
 England, opium use in 19th century, 15, 194-200
 Environment and prevention, 232
 Environmental changes, 82-84
 Epidemiological studies, 26, 123, 248
 Ethiopia, khat use in, 86, 88, 92
 Evaluation research, 210
- Faith healers, 145
 Family planning, 185
 Follow-up, 127, 131, 146
 Food problems, 83
 Future, of cultures and societies, 245-246
 of drug problems, 246-247
 of international cooperation, 249
 of prevention, 248
 of research, 248-249
 of treatment, 247
- Ganja*, 39, 71-76
 General practitioner, role of, 144-154
 Glues, 22, 202
 Green revolution, 43
 Group therapy, 130
 Guatemala, 243
- Hallucinogens, 22
 Hashish, 179
 Health care, 185-187
 Health care advice, 222
 Health care approaches, 103-167
 Health care integration, 242-243
 Health care programmes, 25, 207, 243
 Health care services, 242
 Health Education Council, 222
 Health education programmes, 26, 220
 Health hazards, 101
 Health problems, 185
 Health professionals, education of, 181
 Health volunteers, training of, 187
 Herbal medicine, 122
 Heroin, Australia, 21
 Burma, 21, 53-55
 Canada, 21
 "copping areas", 67, 189
 dependence, 38, 191
 epidemics, 15, 190-191
 Germany, Federal Republic of, 21
 Hong Kong, 21
 India, 47
 Italy, 21
 Macao, 21
 Malaysia, 21, 39, 40
 manufacture, 37
 patterns of use, 12, 14, 21, 36, 205, 229
 recovery, 175

- Heroin (*contd*)
 Singapore, 21
 Sweden, 21
 Thailand, 21, 123
 United Kingdom, 21, 103-114
 USA, 21, 155-159, 188-193, 224
 Viet Nam, 21
- Hill, A.B., 220
- Hinduism, 127
- Hmong tribe, 33, 183
- Hong Kong, alcoholism, 204
 community-based voluntary programme, 114-121, 170, 171
 drug use in, 96
 opium smoking, 201-202
 rehabilitation, 168, 272
- Hospitals, casualty department survey, 135-137
 treatment in, 110-111, 125-128
- Hypnotics, 127, 134, 177
- Hypodermic injection, 199
- Illicit drug traffic, 234, 240
- Illinois Drug Abuse Programme, 189, 191
- Impact evaluation, 211
- India, historical perspective, 42-43
 patterns of drug use, 42-47
 sociocultural change, 46-47
 socioeconomic development, 42-47
 student surveys, 45-46
 trends in drug use, 43-45
 urban trends, 45-46
- Indonesia, 144-154, 171, 175
- Information collection and processing, 234-235
- Information dissemination and exchange, 28
- Information programmes, 207
- Inhalants, 22, 63-66, 202
- Institute of drug abuse control, 236
- Insulin treatment, 130
- International cooperation, future of, 249
- International Labour Organisation, 24-25, 30
- International Union Against Cancer, 222
- Intervention modality, 209
- Intravenous injection, 235
- Iran, 242
- Islam, 127, 133, 213
- Jakarta, 70, 144, 145
- Jamaica, 13, 71-76
- Japan, 139-143, 170, 202-203
- Kandy General Hospital, 125
- Karens, 34-35, 183, 185
- Kenya, cultural changes, 82
 drinking patterns, 80-85
 khat use in, 86, 92
- Khat, availability, 87
 composition and action, 87
 history, 86
 organization of parties, 88-89
 patterns of use, 13, 21, 86-93
 physical effects, 90
 psychological reactions, 90-91
 social effects and control, 91-92
 treatment, 238
- Kochi Prefecture, 140
- Komoru, 142
- Kratom, 36
- Lacquer thinner, 202
- Lahore, 151, 153
- Lahu tribe, 35
- Lao People's Democratic Republic, 205
- Laudanum, 199
- Ledermann, French mathematician, 214, 215
- Legislation, 15, 146, 197, 198, 221, 235
- Librium, 176
- Lisu tribe, 35
- London Casualty Survey, 136, 138
- London Drug Dependence Clinics, 103, 175
- Lung cancer, 203, 220
- Lysergic acid diethylamide (LSD), 13, 22, 179
- Lysergide, 79
- Mae Cham, 183
- Mae Suk Kee, 186
- Maehongsorn, 183
- Maintenance programmes, 240

- Malaysia, adolescent drug problem, 38-41
 patterns of drug use, 39-41
 social implications, 41
- Management by objectives, 118
- Manpower development, 243
- Marijuana, 95, 144, 179
- Mayo Hospital, Lahore, 152
- Medina, 131
- Meditation, 142
- Meprobamate, 79
- Methadone, Hong Kong, 116
 maintenance programmes, 241
 patterns of drug use, 136, 154, 173, 240
 USA, 154
- Methaqualone, 39, 79
- Mexico, 63-66, 175
- Mexico City, 13
- Migration, 83
- Milner, Dean Isaac, 195
- Mishirabe*, 141
- Mitragyna speciosa*, 36
- Mohammed, 131
- Monitoring, 230, 232, 244
- Mormons, 101
- Morphine, dependence, 240
 Indonesia, 144
 Malaysia, 39
 Pakistan, 151
 United Kingdom, 199
 USA, 155
- Mosque as therapeutic centre, 131-134
- Muslims, 127, 131
- Naikan* therapy, 140-143, 170
- Nairobi, 85
- Nalorphine, 115
- Naloxone, 241
- Naltrexone, 241
- Narcotics board, 236
- Narcotics bureau, 237
- National Institute on Alcohol Abuse and Alcoholism, 212
- National Institute on Drug Abuse (NIDA), 210-212
- National Prevention Evaluation Resource Network (NPERN), 212
- Natural processes of recovery, diversity of, 174-175
- Neuroleptics, 177
- Nigeria, 146-150, 170
- Opiates, dependence, 135, 138, 140, 240
 patterns of drug use, 97
- Opium, Afghanistan, 20
 Bangladesh, 20
 Burma, 20, 53-55
 China, 229
 Egypt, 20, 77-79, 130
 England, 15, 194-100
 Hong Kong, 20, 114
 India, 42-46
 Indonesia, 20, 144
 Iran, 20
 Lao People's Democratic Republic, 20
 Macao, 20
 maintenance programmes, 240-241
 Malaysia, 39, 40
 Pakistan, 20, 48-53, 150-153
 patterns of use, 12, 20, 25, 32-40, 42-46, 48-55, 77-79, 97, 114, 123, 124, 230, 238
 poisoning, 196
 preventive programme, 27
 Singapore, 20
 smoking, 13, 40, 124, 144, 201, 229
 Sri Lanka, 20, 125, 128
 Thailand, 20, 32-38, 123, 124, 183, 185, 186, 224
 Viet Nam, 20
- Outcome evaluation, 211
- Outpatient clinics, 170
- Outpatient treatment, 104, 147
- Overdose, 136-137, 139
- Oxford Group Movement, 162
- Pakistan, attitudes toward opium use, 52-53
 circumstances of initial opium use, 51
 demographic characteristics, 50
 dose and patterns of opium use, 49-50
 drug use history, 51
 effects of opium use, 52
 general practitioner, 150-154
 health care, 242
 patterns of drug use, 12, 13
 rural sample, 49
 urban sample, 48
- Parental attitudes, 95

- Peru, 95, 97
Pethidine, 147, 148, 151
Pharmaceutical industry, 176
Pharmacological factor, limited relevance of, 100-101
Pharmacy Act 1868 (UK), 197
Phencyclidine, 22
Phenmetrazine, 22
Phenothiazines, 176
Physical dependence, definition, 18
Poisons and Pharmacy Act 1908 (UK), 199
Poisons Schedule, 197
Policy design, 16, 233
Policy guidelines, 11
Population growth, 185
Pre-Admission Methadone Stabilization Scheme (PAM), 116
Prescribing patterns and their determinants, 117-179
Prescription rates, 224
Presentation of drug problems, 148-149
Prevention and environment, 232
 factors aiding, 231
 family doctor role, 146
 frustration factors, 231
 future of, 248
 general practitioner's role, 149
 in tune with society and culture, 231-232
Prevention methods, 204-205, 213-215
 side-effects, 228-231
Prevention modalities, 207
Prevention policies, 226
Prevention programmes, 24, 119, 205-212, 225, 237-238, 244
Prevention strategies, 27, 224-225, 234
Prison, physical withdrawal in, 111
Process evaluation, 210
Programme planning, 11, 16, 19, 233, 237-244
Prohibition effects, 152-154, 163
Prohibition Order, 153
Psychiatric disorders, 176
Psychic dependence, definition, 18
Psychosocial factors, 241
Psychotic reactions, 22, 149
Psychotropic drugs, 15, 44, 68, 134, 136, 138, 139, 144, 176, 246
Punjab, 151-153
Rastafarians, 13, 71-72
Reciprocal altruism, 120
Recovery from drug dependence, 103
Rehabilitation, 14, 116-119, 145, 168, 192, 239
Religio-ethnic groups, 68, 69
Religious groups, 101
Religious teaching, 132
Research, 209
 future of, 248-249
Resources and their management, 243
Sample surveys, 235
Sanskritization, 46
Saudi Arabia, 92
Schools, 69, 94
Sedative-hypnotics, 177
Sedatives, 22, 135, 177
Self-control, 164
Self-evaluation, 119
Self-help, 161-167, 173
Self-observation psychotherapy, 140
Self-referral, 127
Self-regulating therapeutic communities, 241
Self-reliance, 164
Sensitizing agents, 241
Sheikh as member of therapeutic team, 131-134
Shek Kwu Chau Rehabilitation Centre (SKC), 115, 119
Shinshu Buddhism, 141
Shuchu-Naikan, 142
Side-effects, 228-231
Sind, 150
Single Convention on Narcotic Drugs, 28, 44, 152
Slave trade, 195
Sleeping tablets, 39
Smith, Robert Holbrook, 162
Social attitudes, 85
Social changes, 82-84, 194-200
Social management, 174
Social problems, 129
Social structure and organization, 227-228
Social therapy, 129
Social values, 227
Socially used drugs, 213-223
 see also Alcohol; Tobacco-smoking

- Society for the Aid and Rehabilitation of Drug Addicts (SARDA), 115-120, 168, 171, 173
- Sociocultural changes, 248
- Sociocultural context, 245
- Sociocultural influences, 11, 103, 238, 241
- Sociocultural patterns of drug use, 32-93
- Sociocultural perspective, 104
- Sociocultural traits, 170
- Socioeconomic development, 239
- Solvents *see* Inhalants
- Somalia, 86, 88, 90
- South America, Andean region, 12, 56-63, 95, 228
- South-east Asia, 201-205
- "Spliffs", 74
- Spontaneous process of recovery, 175
- Sri Lanka, 125-128, 168, 172, 173
- Stimulants, 22
- Stress problems, 134
- Students, 69, 85, 94, 149
- Superstitions, 185-186
- Support systems, 26
- Surabaya, 145
- Synthetic psychoactive drugs, 79
- Tai Lam prison, 114
- Taiwan, 204, 227
- Tam Kraborg temple, 121-125, 170
- Tanzania *see* United Republic of Tanzania
- Television advertising, 221
- Temperance Movement, 163
- Terminology, 17-19
- Tetanus, 148
- Tetrahydrocannabinol, 21, 72
- Thailand, cities, 36-38
 - family influence, 175
 - health care, 242
 - hill tribes, 12, 32-35, 95, 183-188, 224
 - opium use, 32-38, 97, 205
 - rural villages, 35-36
 - Tam Kraborg temple, 121-125, 170
- Thalidomide, 179
- Thinner, 22
- Tobacco-smoking, China, 203-204
 - economic determinants, 222-225
 - health hazard, 30-31, 220-221, 246
- Tobacco-smoking (*contd*)
 - Hong Kong, 96
 - India, 44
 - Indonesia, 144
 - legislation, 221
 - multiple control strategies, 219-223
 - Pakistan, 51
 - price control, 222
 - social control, 222
 - Thailand, 34, 35
 - trends in, 23
 - withdrawal clinics, 222
- Tokyo, 140
- Traditional healer, 170
- Training and training methods, 27, 187, 242
- Tranquillizers, 22, 38, 134, 177, 179, 180, 182, 202
- Treatment, assessment prior to, 238
 - future of, 247
 - selection for, 238
- Treatment centres, 121
- Treatment evaluation, 124, 244
- Treatment management, 126-127
- Treatment methods, 104-105, 151, 154, 155
 - alcohol, 139-143
 - alliances with existing organizations, 171
 - application, 129
 - basic approaches, 239
 - choice of, 240
 - clinics, 138
 - community, 106, 114-121, 128-131, 188-193
 - congruent with cultural expectations of wider society, 170-171
 - country differences, 168-175
 - cultural alliance, 169-174
 - cultural phenomenon, 169
 - difficulties encountered, 133-134
 - hospital, 110-111, 125-128
 - ideology of, 170
 - improved, 27
 - mental hospital, 144
 - mosque clinics, 132-134
 - possibilities and limitations, 175
 - prison, 111-113
 - religious, 170
 - requirements of, 172
 - successful, 174
 - therapeutic community, 110

- Treatment models, 122-123, 238
- Treatment policy, 129-131
- Treatment programmes, 25, 244
- Triad gangs, 229

- Unemployment and inflation effects, 84
- United Kingdom, legislation, 15
 - multiple-drug problems, 134-139
 - opium use in 19th century England, 15, 194-200
 - recovery among heroin users, 103-114
 - smoking epidemic, 219-223
 - treatment programmes, 171
- United Nations Commission on Narcotic Drugs, 28, 29
- United Nations Division of Narcotic Drugs, 24, 28
- United Nations Educational, Scientific and Cultural Organization (UNESCO), 25
- United Nations Fund for Drug Abuse Control (UNFDAC), 24, 27, 48
- United Nations/Pakistan Drug Abuse Control Programme, 27, 151
- United Nations/Thai Programme for Drug Abuse Control, 28, 183, 185
- United Republic of Tanzania, 86

- United States of America, adolescents, 94-95
 - community treatment to reduce illicit heroin demand, 188-193
 - methadone use, 154-161
 - patterns of drug use, 67-71, 173
 - prevention programmes, 206-212

- Valium, 176, 179
- Vocational training, 242
- Volatile solvents, 22

- Weight reduction, 97
- Wilberforce, William, 195
- Wilson, William, 162
- Withdrawal, 144, 239, 240
- Women and addictions, resource kit, 181
- Women's Treatment Centre, Wanchai, 115, 119
- World Health Organization, activities
 - on alcohol problems, 30-31
 - activities on drug problems, 249
 - collaborating centres on drug dependence, 29
 - objectives and priorities, 23-24
 - obligations under international drug control treaties, 28-30
 - programme, 24-28
 - strategies, 24-28

- Yao tribe, 33
- Yemen, 86, 88, 92